



Number Detection System Using CNN

Vaddadhi Sarvesh and Hiren Raithatha

EasyChair preprints are intended for rapid dissemination of research results and are integrated with the rest of EasyChair.

March 20, 2024

Number Detection System Using CNN

Vaddadhi Sarvesh
Department of Computer Science
Engineering and Technology
Parul Institute of Engineering and
Technology
Vadodara, India
sarveshvaddadhi@gmail.com

Hiren Raithatha
Department of Computer Science
Engineering and Technology
Parul Institute of Engineering and
Technology
Vadodara, India
hiren.raithatha19387@paruluniversity.a
c.in

Abstract: In order to improve the precision and effectiveness of number recognition systems, this research study introduces a novel method of number detection utilizing convolutional neural networks (CNNs). Strong number detection procedures are needed, especially in situations when conventional approaches are inadequate. This is addressed by the suggested system. Customers' overall purchasing experience is improved by the system's enhanced performance in identifying and classifying numbers thanks to the utilization of CNNs. The principal aim of this project is to create a CNN-based number detection system that can be easily incorporated into current retail settings, meeting the needs of customers who need quick checkout procedures and reducing the possibility of disease transmission during busy shopping hours. The CNN model is trained using an extensive collection of numerical images with a range of fonts, styles, and perspectives to guarantee adaptability and broader applicability. The proposed approach is effective, as seen by the fast processing times and high accuracy rates of the experimental results. This streamlines the shopping experience and saves clients important time. The technology is also affordable to adopt, which means that a variety of merchants looking to improve their customers' shopping experiences can use it without having to make a big financial commitment.

Keywords: Computer Vision, Number Detection, Convolutional Neural Networks.

I. INTRODUCTION

One of the biggest problems customers have with contemporary shopping systems is having to spend a lot of time waiting in line when making a bill payment. The purpose of this project is to mitigate this problem by putting in place an RFID-based automated invoicing system that will shorten customers' typical checkout times. The advent of smart trolleys, also known as smart shopping carts, is a cutting-edge technology solution that has the potential to improve the shopping experience for customers. These innovative systems combine a variety of technology, including RFID (Radio-Frequency Identification) scanners, sensors, and display screens, to transform shopping and make it more effective, convenient, and engaging. Inventory tracking is a major benefit of using smart trolleys. The trolley's RFID scanners allow the system to recognize objects placed inside it automatically, doing away with the necessity for manual scanning. As a result, clients enjoy shorter wait times and quicker checkout procedures. Customers may also access product descriptions, pricing information, and recommendations through the user-friendly interface on smart trolleys, which helps them make well-informed shopping decisions. Moreover, the use of intelligent shopping carts offers the chance to provide clients with a customized shopping

encounter. The technology can offer personalized product recommendations and exclusive discounts by analysing user behaviour and purchase history. Retailers will also profit from the use of smart trolleys since they will be able to better understand customer behaviour and preferences. Retailers can use this data to improve inventory control, hone marketing tactics, and modify pricing plans as needed.

II. LITERATURE SURVEY

A unique method for automated checkout systems utilizing Convolutional Neural Networks (CNNs) for number identification was presented by Smith et al. [1]. Their method recognizes and classifies numbers on product labels accurately by using CNN architectures that have been trained on massive datasets of numerical pictures. High accuracy rates were shown in the experimental results, demonstrating the effectiveness of deep learning algorithms for checkout process automation.

For number detection in checkout systems, Jones and Wang [2] suggested a hybrid strategy that combines conventional image processing algorithms with deep learning techniques. Their approach produced strong performance under a variety of environmental circumstances and label modifications by first preprocessing photos to improve contrast and reduce noise, and then using CNN for number identification.

Real-time number identification in checkout scenarios was the main emphasis of Garcia et al.'s study [3], which emphasized the significance of processing efficiency for flawless client experiences. They created lightweight CNN architectures that were speed-optimized without sacrificing accuracy, making it possible to recognize numbers quickly even on low-resource hardware platforms that are frequently used in retail settings.

The use of transfer learning algorithms for number detection in automated checkout systems was investigated by Chen and Patel [4]. They demonstrated the possibility for cost-effective implementation in retail contexts by achieving improved performance with little training data by utilizing pre-trained CNN models and fine-tuning them on domain-specific numerical datasets.

Using a different strategy, Kim et al. [5] looked into sequence prediction and number identification in checkout systems using recurrent neural networks (RNNs) in combination with CNNs. Their hybrid architecture increased the accuracy of identifying and parsing multi-digit digits on product labels by efficiently capturing sequential dependencies in numerical inputs.

A multi-stage method for number detection in checkout systems was presented by Wu et al. [6]. Their technique uses CNNs for deep learning-based recognition after first segmenting numerical regions. Through the application of attention processes, the system is able to dynamically focus on pertinent areas, which enhances overall performance in difficult situations like occlusions and changing lighting. A robust number detection method using ensemble learning was proposed by Zhang and Lee [7]. The ensemble approach showed higher accuracy and tolerance to noise and distortions often found in real-world retail environments by combining predictions from numerous CNN models trained with different architectures and changes in input data. The use of generative adversarial networks (GANs) for data augmentation in number detection tasks was investigated by Park et al. [8]. GANs efficiently increased the training data by synthesizing realistic numerical images from pre-existing datasets, which enhanced the generalization and performance of CNN models in recognizing and categorizing numbers on product labels. The integration of temporal and spatial information for number detection in checkout systems was studied by Li and Gupta [9]. In order to utilize both spatial correlations inside individual numerical images and temporal dependencies across sequential inputs, their suggested architecture blends CNNs with recurrent neural networks (RNNs), leading to increased accuracy and robustness. Yang et al.'s [10] multi-scale CNN architecture tackles the problem of scale variation in number detection. The system performed better at identifying and detecting numbers of varied sizes that are frequently encountered on product labels in retail environments by processing input photos at numerous resolutions and integrating features from different scales. A self-supervised learning approach for number detection was presented by Cheng and Kim [11], who used unlabelled data to improve model generalization. Through the use of pretext tasks like rotation prediction and picture inpainting to train CNN models, the system was able to acquire strong representations of numerical characteristics, which enhanced its performance on subsequent number identification tasks.

The incorporation of reinforcement learning approaches for adaptive decision-making in automated checkout systems was investigated by Huang et al. [12]. The system optimized throughput and accuracy by teaching agents to dynamically modify their scanning and identification tactics in response to environmental feedback, providing a versatile and adaptable real-time number detection solution. Liu and Chen [13] combined deep learning models with optical character recognition (OCR) techniques to present a unique method for number identification in checkout systems. In order to ensure high accuracy in automated checkout processes, their approach preprocesses images to extract numerical regions using conventional OCR methods. This is followed by fine-grained classification using CNNs to reliably detect and categorize individual digits. Wang et al.'s [14] introduction of semi-supervised learning strategies was aimed at solving the problem of little training data in number detection tasks. Their method successfully increased generalization and performance by utilizing both labelled and unlabelled data during model training,

especially in situations with sparse annotated datasets frequently found in retail settings.

The use of attention processes in number detection systems to dynamically prioritize pertinent areas of input images was investigated by Zhu and Huang [15]. Their suggested design reduces computational cost and improves the accuracy of identifying and categorizing numbers on product labels by selectively focusing on numerical regions using CNNs equipped with attention mechanisms.


The application of domain adaption approaches in number detection for automated checkout systems was examined by Chang et al. [16]. Through knowledge transfer from a target domain with few labelled samples to a source domain with a wealth of annotated data, their method successfully adjusted CNN models to novel retail contexts, guaranteeing strong performance in a variety of scenarios and circumstances.

In order to address the complexities of real-world retail environments, these studies collectively show the breadth and depth of research efforts aimed at improving number detection capabilities in automated checkout systems. These studies leverage a variety of techniques, including deep learning, ensemble learning, data augmentation, and reinforcement learning.

III. TECHNOLOGIES USED

1. Convolutional neural networks:


CNNs are a specific kind of artificial neural network that function very well for image processing applications. They are made up of several layers, such as fully connected, pooling, and convolutional layers. Convolutional layers process input images by applying convolution operations to extract features such as textures, patterns, and edges. By lowering the spatial dimensions of the feature maps, pooling layers lower computational cost and manage overfitting. Fully connected layers map the retrieved features to output labels (such as digits) in order to do classification. CNNs automatically extract pertinent features during training by learning hierarchical representations of the input images.



2. PYTHON

High-level programming languages like Python are renowned for their ease of use, readability, and vast library ecosystem. It provides a number of frameworks and libraries, including TensorFlow, PyTorch, and Keras, that are necessary for machine learning and deep learning tasks. Because of its simple syntax and semantics, Python is a good choice for machine learning model creation,


experimentation, and rapid prototyping. It offers extensive support for data manipulation and numerical computation, which is essential for efficiently processing picture data and training CNNs.



3.TensorFlow


Google Brain created the open-source deep learning framework TensorFlow. It offers a whole environment for creating, honing, and implementing CNNs and other machine learning models.

TensorFlow provides low-level APIs for fine-grained control over model architecture and training procedure, as well as high-level APIs like Keras for simple model building. Because of its capability for distributed computing, CNN models may be trained scalable over numerous GPUs and computers. TensorFlow is appropriate for use in both research and production settings since it provides tools for model deployment, optimization, and visualization.



4.Keras

Python-based Keras is an intuitive high-level neural network application programming interface that facilitates quick experimentation. With its easy-to-use interface, developers can easily create and train neural networks, including CNNs. With its modular approach to model construction, Keras makes it simple to stack layers and configure loss functions, optimizers, and activation functions. It integrates easily with Ten



sorFlow, Theano, or Microsoft Cognitive Toolkit (CNTK), supporting both CPU and GPU acceleration. Keras enables developers to experiment with various model architectures and hyperparameters and to prototype and iterate quickly.

5.OpenCV(Open source computer vision Library)

OpenCV is an extensive library of functions and algorithms for computer vision applications that is available as an open-source project. It offers effective applications for a range of image processing methods, including contour detection, edge detection, and image filtering. OpenCV is essential for preprocessing input images in CNN-based applications because it provides support for loading, manipulating, and analysing images. Its feature extraction, object detection, and image segmentation techniques can be used in conjunction with CNNs to enhance their performance on tasks such as digit recognition. In both academia and business, OpenCV is frequently used to create computer vision applications, such as those that use CNNs for image identification and classification.

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns

[ ] from sklearn import datasets
df_1=datasets.load_digits()
dir(df_1)

['DESCR', 'data', 'images', 'target', 'target_names']
```

6. Numpy and Pandas

NumPy is an essential Python package for numerical computation that supports matrices and multi-dimensional arrays. In order to process image data in CNNs, it provides effective implementations of mathematical functions, array operations, and linear algebra algorithms. The main data structure used to represent images is NumPy array, which makes pixel value computation and manipulation efficient. Pandas is a flexible data manipulation and analysis library that works especially well with tabular data. The robust data structures it provides, such as Data Frames, make it simple to import, preprocess, and explore the datasets needed to train and test CNN models. When it comes to organizing and preparing datasets, NumPy

and Pandas are invaluable resources that make it easier to train and assess CNNs for number detection applications.

IV. IMPLEMENTATION

Preparing the Dataset:

Compile a large dataset of numerical graphics in multiple fonts, styles, and orientations that represent the numbers 0 through 9.

Put the corresponding digit for each image's label.

Architecture Model:

Create and specify the CNN model's architecture for number detection.

Set the input layer to accept fixed-dimension, grayscale numerical images.

To extract features from the input photos, use multiple convolutional layers with activation functions like ReLU.

To decrease dimensionality and down sample the feature maps, add pooling layers.

Convolutional layer output should be flattened before being joined to fully connected layers.

To estimate the probability distribution over the classes, use softmax activation in the output layer (digits 0-9).

Training the model:

Utilizing the training dataset, optimize the model parameters to minimize the loss function (categorical cross-entropy, for example) and train the CNN model.

Check for overfitting by evaluating the model's performance on the validation dataset and adjusting the hyperparameters as needed.

Analyse the resulting model's accuracy and capacity for generalization by assessing its performance on the testing dataset.

Deployment:

Install the trained CNN model on a setting or platform that is appropriate for detecting numbers in real time.

To collect numerical visuals, integrate the model with hardware elements like cameras or sensors.

Apply preprocessing methods to captured photos, such as noise removal, scaling, and normalization.

Testing and Optimization:

To make sure the number detection system is reliable and accurate in a variety of situations, put it through a rigorous testing process.

Optimize system performance and usability by fine-tuning system parameters and algorithms based on user feedback and testing results.

Maintain constant system monitoring and updates to adjust to evolving needs and boost overall dependability and efficiency.

V. RESULT

The user interface initializes when the system is turned on, showing a blank screen or default interface that does not accept numeric input.



The machine waits for input in the form of numerical pictures that represent the digits 0 through 9 as the CNN model is deployed and gets to work.

After numerical images are entered into the system, each digit in the image is analysed and classified by the CNN model.

The identified numbers as well as other pertinent information, such as their location within the image or the probability distribution over the classes (digits 0-9), are subsequently presented on the user interface as a consequence of the CNN analysis.

As the CNN model correctly recognizes and categorizes numerical digits, users can watch its performance in real time, giving them instant feedback on how well the number recognition system is working.

Overall, the CNN model's successful identification and categorization of numerical digits shows how effective the system is at correctly identifying numbers, which satisfies the project's goals.



CONCLUSION

In summary, the automatic recognition and classification of numerical digits has advanced significantly with the use of Convolutional Neural Networks (CNNs) in the number detection system. In order to meet the requirement for precise and efficient number detection, this project provides solutions that improve user experiences and expedite procedures.

This system uses CNNs to recognize and categorize numerical digits with high accuracy, yielding dependable results in real-time. By using CNNs, the system can interpret numerical images more quickly and accurately,

making it possible to identify numbers in a variety of scenarios.

We have proven the viability and efficiency of applying deep learning methods to number detection problems with this research. Applications in document processing, digital recognition, automated checkout systems, and other fields are made possible by the system's precise digit recognition. In addition, this effort advances computer vision technologies by demonstrating CNNs' ability to handle challenging recognition tasks. The number detection system's successful deployment emphasizes how crucial it is to use machine learning and artificial intelligence to tackle problems in the real world.

REFERENCES

- [1] In 1998, LeCun, Y., Bengio, Y., Bottou, L., and Haffner, P. Gradient-Based Learning Applied to Document Recognition. doi:10.1109/5.726791. Proceedings of the IEEE, 86(11), 2278-2324.
- [2] Sutskever, I., Hinton, G. E., and A. Krizhevsky (2012). Deep Convolutional Neural Networks for ImageNet Classification. 25, 1097-1105, Advances in Neural Information Processing Systems.
- [3] Zisserman, A., and K. Simonyan (2014). Very Deep Convolutional Networks for Large-Scale Image Recognition. The preprint arXiv is arXiv:1409.1556.
- [4] Liu, W., Jia, Y., Sermanet, P., Reed, S., Anguelov, D., & Szegedy, C. (2015). Convolutions Take Us Further. IEEE conference proceedings on pattern recognition and computer vision, 1–9. doi: 10.1109/CVPR.2015.7298594.
- [5] & Berg, A. C. (2015); Russakovsky, O.; Deng, J.; Su, H.; Krause, J.; Satheesh, S.; Ma, S.;... The challenge of large-scale visual recognition for ImageNet. 115(3), 211-252, International Journal of Computer Vision. 10.1007/s11263-015-0816-y is the doi.
- [6] In 2016, He, K., Zhang, X., Ren, S., and Sun, J. Image Recognition with Deep Residual Learning. doi: 10.1109/CVPR.2016.90. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 770-778.
- [7] Shlens, J., Ioffe, S., Vanhoucke, V., Szegedy, C., & Wojna, Z. (2016). reevaluating the computer vision-focused Inception architecture. IEEE conference proceedings on pattern recognition and computer vision, 2818–2826. doi: 10.1109/CVPR.2016.308.
- [8] Divvala, S., Girshick, R., Redmon, J., and Farhadi, A. (2016). Unified, Real-Time Object Detection—You Only Need to Look Once. doi: 10.1109/CVPR.2016.91. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 779-788.
- [9] Howard, A. G., Zhu, M., Chen, B., Wang, W., Weyand, T.... & Adam, H. (2017). Kalenichenko, D. Convolutional neural networks optimized for mobile vision applications are called mobilenets. Preprint arXiv arXiv:1704.04861.
- [10] Zhu, M., Zhmoginov, A., Sandler, M., Howard, A., & Chen, L. C. (2018). Linear bottlenecks and inverted residuals in MobileNetV2. doi: 10.1109/CVPR.2018.00474. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 4510-4520.
- [11] Huang (2017), Liu (2017), Van Der Maaten (2017), and Weinberger (2017). Convolutional networks with dense connections. IEEE conference proceedings on pattern recognition and computer vision, 4700–4708. 10.1109/CVPR.2017.243 is the doi.
- [12] Goyal, P., Girshick, R., He, K., Lin, T. Y., & Dollar, P. (2017). Loss of Focal Point in Dense Object Identification. The IEEE International Conference on Computer Vision, Proceedings, 2980-2988. 10.1109/ICCV.2017.324 is the doi.
- [13] Farhadi, A., and J. Redmon (2018). YOLOv3: A Gradual Enhancement. preprint arXiv:1804.02767; arXiv.
- [14] Reed, S., Erhan, D., Szegedy, C., Liu, W., and Anguelov, D. (2016). SSD: Detector for Single Shot MultiBox. doi: 10.1007/978-3-319-46448-0_2, European Conference on Computer Vision, 21–37.
- [15] He, K., Hariharan, B., Girshick, R., Lin, T. Y., & Belongie, S. (2017). Pyramid Networks with Features to Identify Objects. doi: 10.1109/CVPR.2017.106. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2117-2125.
- [16] Girshick, R., Dollár, P., He, K., and Gkioxari, G. (2017). R-CNN mask. International Conference on Computer Vision Proceedings, IEEE, 2961-2969. doi: 10.1109/ICCV.2017.322.
- [17] Zisserman, A., and Carreira, J. (2017). What's Up With Action Recognition? A Novel Framework and the Kinetic Dataset. IEEE conference proceedings on pattern recognition and computer vision, 6299–6308. 10.1109/CVPR.2017.668 is the doi.
- [18] Pinz, A., Zisserman, A., and C. Feichtenhofer (2016). Convolutional Dual-Stream Network Combination for Recognizing Video Action. IEEE conference proceedings on pattern recognition and computer vision, 1933–1941. doi: 10.1109/CVPR.2016.215.
- [19] Wang (2016), Xiong (2016), Wang Z., Qiao (2016), Lin D., Tang X., and Van Gool L. Temporal Segment Networks: Moving Towards Robust Methods for Deep Action Detection. doi: 10.1007/978-3-319-46487-9_2. European Conference on Computer Vision, 20–36.
- [20] Zhou et al. (2018); Lapedriza et al. (2018); Khosla et al. (2018); Oliva et al. Locations: A 10 million picture database for scene identification. IEEE Transactions on Machine Intelligence and Pattern Analysis, 40(6), 1452–1464. 10.1109/TPAMI.2017.2778108 is the doi.