



## An Improved Video Packet Retry Adaptation in EDCA

---

Mehdi Gheisari

EasyChair preprints are intended for rapid dissemination of research results and are integrated with the rest of EasyChair.

June 6, 2022

# An Improved Video Packet Retry Adaptation in EDCA

Mehdi Gheisari<sup>1</sup>

department of computer, damavand branch, Islamic Azad University, Damavand, Iran

**Abstract-** Video transmission in wireless network is an important issue. One of the most important differences between video and ordinary data is emphasis on time and deadline so in video avoiding from delay and jitter is necessary because those causes uselessness of received data by receiver. Lossy nature of wireless networks causes requirement for retransmission of lost data thus retransmission management is very important because video data must be arrived on-time. Prior approaches in this issue mainly were based on 802.11 standard and would use statistical ways and statistical information collection for this purpose. We offer a method for retransmission of video packets on 802.11e WLANs and Enhanced Distributed Channel Access (EDCA) mechanism namely Retry Adaptation base-on Smoothed Playout Delay-base (RA-SPD). This method estimates deadline of video packets based on maximum playout delay in receiver and with regards to some effective parameters in deadline. This approach requires the knowledge of Datalink layer from Application layer so enumerate as a cross-layer approach. Results of simulations illustrate if setting of RA-SPD parameters be correct, improvement of received video quality at receiver without need of statistical information collection, in bad network condition is possible up to 4 percent rather than previous approaches and more than 10 percent rather than EDCA standard.

## Keywords

**Cross-layer Approaches, Video, EDCA, Deadline, Smoothed Playout Delay, Retry Adaptation**

## 1. Introduction

Transmission of multimedia and especially video has been found many usages in recent years. In most of these usages multimedia is encountered with severe time restrictions and is used as real-time. Because of special condition of wireless environments and lack of stability in these channels, transmission of multimedia over those is encountered to fundamental challenges. Quality of multimedia is threatened severely due to contention between users, different data streams and existence of noise in channel. These factors and similar factors require thinking about recourses which is said it providing Quality of Service (QoS) for multimedia transmission over wireless network usually and justify using of priority protocols such as IEEE 802.11e. But using of this protocol solely isn't able to provide desirable QoS for different multimedia applications and so usage of some methods for encounter to special conditions of wireless channel is necessary.

In video transmission over a network, important performance parameters are delay and jitter. In wireless networks other important subject is packet loss which has destructive effect on visual quality of video. Hence it is necessary thinking about solutions for packet loss and indeed error in video transmission over wireless networks in addition to delay control because these packet losses have wide effect on quality decrement of video and it causes transmission of video become very challenging.

802.11e standard and its EDCA mechanism perform a classification over packets and determine transmission priority according to it for providing QoS.

Base of QoS in this protocol is such classification over packets and powerful channel access management too. Also in EDCA there is a retransmission scheme after packet loss for encounter to this error which this retransmission perform by one of the Automatic Repeat reQuest (ARQ) error recovery techniques namely Stop and Wait ARQ (SW-ARQ). Thus one of main subjects for

improvement quality of received video at receiver especially in bad wireless channel condition, is retransmission of lost packets. If these retransmissions performed correctly it can perform main role in received video quality improvement else quality decrease extremely.

For example with retransmission of packets which their deadline is bygone, time for next packets will be low too and this subject can have destructive effect over received video by receiver. For more effective retransmission other subjects are important too. One of them is amount of different packets transmission effect on received video quality.

Other is transmission rate and importance of queue which packet transmitted via it. Notice to these subjects can cause receiver video increase significantly.

Rest of paper organized as follow: first we look at prior works and matters which can be useful in context of packet retransmission will be reviewed in II. Expression of proposed mechanism is next section (III) which details of RA-SPD algorithm will be described in it. Then smoothed playout delay formula will be stated which RA-SPD algorithm is based on it, that is to say this formula is used for packets retransmission and parameters of this formula will be described in detail. Then in next paper section (IV), simulation and evaluation of mechanism will be argued and finally this paper will be ended with an overall conclusion and future work statement in VI.

## 2. Related Works

In context of transmission of multimedia over wireless networks specially 802.11 and 802.11e standards there are many works which mainly offer adaptive approach for encounter to special condition of wireless networks and also special requirements of video. In this section perform a short revision over some of these methods.

In [1] is proposed Content-aware Adaptive Retry (CAR) which try to prevent from retransmission of packets which have many delay and so receiver isn't able to playout they by estimation of packets deadline according to their importance with using of exist concepts in [2]. This mechanism is designed for 802.11 wireless networks and it smooth condition for on-time transmission of next video packets with dropping useless packets. Because attention to packets importance and their dependencies, packets with higher priority and importance have higher chance for retransmission and this cause relatively high improvement in quality of video in receiver specially in bad condition of channels and high amount of loss.

The same algorithm proposed again called Time-base Adaptive Retry (TAR) in [3]. Difference between this work and prior work is consideration other aspects in account and completing previous work. In TAR authors try to estimate retransmission time of each packet in two states of network separately which one of them is noisy state and another is congestion state so as a result profitability of using TAR mechanism which do act of retransmission adaptively will be apparent.

In a proposed algorithm in [4] named Content-Aware Retry Limit Adaptation (CA-RLA), is tried to using results of prior works and more precise analysis on granting packets priority, supply more effective mechanism for packets retransmissions. In [4] in addition to deadline which was previously noteworthy, also is noticed to retry-limit. This retry-limit computes and uses for each packet separately with using of image processing methods. In this research paper is said it is possible to identify delay packets before decision to retransmission in according to estimated time of next retransmission so drop those packets one step ago. Also it proposed a greedy algorithm which use efficiently from time since successfully packet transmission. In this greedy algorithm important packets will obtain more retry limit after a quick successful retransmission. CA-RLA have more complexity from other mechanism so it is difficult completely implementation it.

All three methods explained hitherto use statistical approaches and statistical information collection for finding proper packets retry counts. So there is no distinct and exact formula for deciding and also there are some presumptions for determining final retransmission count.

Addition to instances cited above there are other variety works in context of video transmission over wireless networks which each of them consider some aspects of subject. Some of them will be described here.

In [5] proposed a range of methods for video specs analysis and utilize those for improvement of transmitted video quality in limited condition of network and low transmission rate. For example light, location, movement vector and energy specification analysis are some of them. In this paper only limited condition and very low rate is object of paper authors so they regard to different aspects of video and perform many analysis. Then more important parts of video determined and

transmitted under better preparation rather than lower important sections to overcome bad network condition and so having effective video transmission.

For instant an adaptive method proposed which in good network condition whole frames are transmitted, in 1/3 rate B frames are dropped and in very low rate and very motionless video all frames are skipped except I frames. Displacement of video frames according to their importance is one of other adaptive approaches can deployed.

In [6] authors addressed quantization step size adjustment and proposed an adaptive approach which it use from a Video Rate Control Algorithm (VRCA). The quantization step size is the main parameter that controls the compression of the video. But the VRCA is implemented as a simple feedback control loop that consists of setting an initial quantization step size, encoding part of the picture, measuring the resulting intermediate bitrate, changing the step size accordingly and then continuing with the next part of the picture. So it is possible to change bitrate for each frame independently. Although this VRCA has been designed for constant bit rate (CBR) encoding, but can also be used to dynamically change the bit rate produced by the encoder.

This approach try to achieve an optimum rate by adjusting quantization step size and sender regarding to network condition determine this amount till get desire video quality with adjusting video rate. So video rate changes are completely depend on channel condition and are adapted withal. In this approach network condition is estimated in both short and long interval by some feedback methods.




Fig.1- general scheme of SPD-RA mechanism

Proposed approach in [7] follows a retransmission algorithm in application layer and deploys packets perceptual importance and temporal dependencies for retransmission adjustment. Because this algorithm act in application layer and don't use link layer retransmission, is different from other expressed algorithm in this section roughly. However adaptation in link layer is faster usually so link layer algorithm can be more effective. Too some papers concentrate over Forward Error Correction or mixture it with ARQ. For example [8] propose an algorithm which deploys a proactive retransmission scheme for hybrid FEC/ARQ to transmission of video by feedback from receiver. If sender receives any feedback from receiver in a predefined interval, it will be informed from burst packet loss and take advisable decide.

### 3. Proposed Mechanism

In previous section, said prior works in packets retransmission over 802.11 standard determine retry count base on statistical information collection. Also these approaches was indifferent to real playout delay used in receiver so playout delay calculation in they is performed without having information about real playout delay in receiver. Though this issue is proper from viewpoint of having no requirement information from receiver but maybe in many cases causes no right

estimation from playout delay. Whatever network condition is changed, but receiver finally set fix amount to its playout delay which it is without change along playout time. If sender can become aware from this playout delay, can use from it as maximum delay in calculations. Even sender can proposed playout delay itself to receiver. In addition sender can calculate this amount by common formula with receiver or guess it or distinct it according to application. So sender can simply calculate and enter this amount in its calculations. In [4] this amount is notated  $\beta$  and has some uses. Real playout delay can't be used directly and must adapt with network condition and traffic amount which called smoothed playout delay and so our mechanism named Smoothed Playout Delay-based Retry Adaptation (RA-SPD). In proposed mechanism before retransmission of each packet over the network, deadline of the packet is calculated according to smoothed playout delay and also parameters of each Access Category and then sender decide send the packet or no. This deadline which calculated according to smoothed playout delay is called smoothed deadline. Figure 1 depicts general scheme of RA-SPD mechanism.

Objectives of RA-SPD retransmission adaptation mechanism are:

- Prevention from ineffective retransmission.
- Sending packets while their deadline permits which cause high assurance for more important packets to be received accurately and on-time.

In [4] proposed before deciding to retransmission a packet, approximate transmission time be determined and if packet isn't received in its deadline, it be dropped. So according to mentioned objectives and proposed algorithm in [4], general algorithm of RA-SPD mechanism is:

After an unsuccessful packet P transmit do:

$$T_{trans}(r, QN) = T_{cur} + T_{back}(r, QN)$$

In the  $(r-1)$ 'th try:

$$\text{If } (T_{trans}(r, QN) + \delta > D'_{sm}(P_{i,j}^{(k)}, QN))$$

Drop  $P_{i,j}^{(k)}$

In  $(r)$ 'th try:

$$\text{If } (T_{cur} > D'_{sm}(P_{i,j}^{(k)}, QN))$$

Drop  $P_{i,j}^{(k)}$

Else

Transmit  $P_{i,j}^{(k)}$

In this algorithm parameters are as follows:

- $QN$ : queue number  $N$
- $T_{trans}(r, QN)$ : estimated transmission time in  $r$ 'th retry according to queue  $Q$  parameters
- $T_{cur}$ : current time
- $T_{back}(r, QN)$ : estimated backoff time in queue  $Q$  for  $r$ 'th retry
- $\delta$ : maximum propagation delay in wireless channel
- $D'_{sm}(P_{i,j}^{(k)}, QN)$ : packet  $P_{i,j}^{(k)}$  deadline according to queue  $Q$  parameters

In  $P_{i,j}^{(k)}$ ,  $i$  denote number of packet's GOP,  $j$  express number of packet's frame and at last  $k$  is number of packet in its frame.

$D'_{sm}(P_{i,j}^{(k)}, QN)$  is calculated similar to  $D'$  in [1] and only its difference is using smoothed playout delay instead of statistical playout delay. Its formula is as follows:

$$D'_{sm}(P_{i,j}^{(k)}, QN) = \Delta_{sm} + ((i-1)\alpha + (j-1))\lambda + R(P_{i,j}^{(k)}) \quad (1)$$

- $\Delta_{sm}$ : smoothed playout delay
- $\alpha$ : GoP size
- $\lambda$ : inter-frame interval time
- $R$ : retransmission extension period (added time according to packets importance)

Also:

$$R(P_{i,j}^{(k)}) = \lambda(M(F_{i,j}) + 1) \quad (2)$$

- $M(F_{i,j})$ : number of frames inter-coded with respect to  $F_{i,j}$

Effective items in smoothed playout delay for a given packet are:

1. Maximum playout delay (real delay in receiver)
2. Amount of smoothed playout delay for prior packet or packets (used amount of playout delay hitherto)
3. required time for amending lost playout delay time (regarding to transmission rate)
4. Queue which packet is therein
5. Packet importance (dependency of other packet to given packet)

For offering effective formula, investigation impact of each factor over estimated playout delay for a given packet is necessary:

1. Maximum playout delay is a fixed parameter which is specified by user or receiver. Surely whatever it be more, estimated (smoothed) playout delay can be larger. Indeed smoothed playout delay (namely  $\Delta_{sm}$ ) is a number between 0 and Maximum playout delay. We proposed  $\Delta_{max}$  notation for this parameter.
2. Second parameter was mentioned is playout delay amount for prior packet or packets which for prevention from any ambiguity its better this parameter be calculated as summation of lost playout delay times yet. It is obviously distinctive whatever lost time by prior packets be more, restriction will be harder so  $\Delta_{sm}$  must be lesser. But using this parameter thus cause bad effect due to primary packets waste much time and always time for next packets will be low and as a result probability of packet lost will be greater gradually. Surely there are some important packets too which won't have much time for retransmission. So it's better uppermost impact of this factor is considered partly random which is more effective because lost playout delay won't be cumulative. Proposed notation for this factor is  $\Delta_{lost}$ .
3. One of important issues for computing smoothed playout delay, is calculating amendment time (with proposed notation  $T_{amend}$ ) meaning if whole time be used for a packet namely how much time required this lost time be amended while each packet be transmitted only once. For example if playout delay be 500ms, for amending this 500ms how much time required or how many packet must be transmitted (only once) till this time be recreated for next packets. Amendment time is calculated according to queue parameters specially transmission rate. Whatever Amendment time is greater  $\Delta_{sm}$  must be smaller.
4. Queue coefficient ( $QW'$ ) which consider more importance for lower priority queues! It's because making relative fairness between different queues. Because lower priority queues essential have low transmission rate it's required assign higher priority to them here for several reasons. One of reasons is low bit rate in these queues cause they need to more time for retransmission and with granting this priority, they obtain chance to retransmission. Second issue that  $\Delta_{max}$  parameter is shared between different queues therefore only one  $\Delta_{lost}$  must be considered for all queues but calculating of  $T_{amend}$  is independent and for each queue is performed regarding to its parameters. Because transmission rate from higher priority queues is more, more time is assigned to them from playout delay in ordinary state which isn't desirable and its effect should be neutral due to before mentioned reason. Other matter which cause this situation be worse is existence of more important packets in higher priority queues. So for fairness retainment and prevention from unfavorable results, it's necessary to setting queue coefficient in favor of lower priority queues.
5. Packet importance ( $M(F_{i,j})$ ) which whatever be larger,  $\Delta_{sm}$  must be greater.

According to subjects which mentioned yet, proposed formula expressed as:

$$\Delta_{sm}(AC[QN], P_{i,j}^{(k)}) = \Delta_{max} \times x \quad (0 \leq x < 1) \quad (3)$$

$$\Delta_{sm}(AC[QN], P_{i,j}^{(k)}) = \Delta_{max} \times h\left(\frac{M(F_{i,j})+1 \times QW'[QN]}{T_{amend}[QN] + (\Delta_{lost} \times g)}\right) \quad (4)$$

- h: a function for mapping fraction to a number between 0 and 1
- g: a function to generate random number between 1 and 2 which reason expressed afterwards

Now it is necessary to survey how to calculate functions and variables.  $M(F_{i,j})$  is a distinct parameter which its value is gotten according to packets dependencies and vary from 0 to  $(\sigma-1)$ . Because this value don't be 0, it sum with 1.  $QW'[QN]$  is adjustable for each queue and of course should be selected accurately due to using smoothed playout delay have proper impact. Here used from multiplication of two parameter but it's possible using of summation too. About which of them is better, we can argue but if each of them is used corresponding and proper values must be select and much accuracy is necessary for suitable effect.

$T_{amend}[QN]$  for each time deciding to transmission must be calculated. For calculation it there is need to transmission rate estimation for each queue which is out of this paper's space but generally for consideration both short time (variant) and long time network condition in transmission rate, using from (5) formula is possible to estimation it. (for more simplicity and intelligibility,  $[QN]$  notation is deleted from some formulas for example (5) formula)

$$\text{Effective Rate } (R_E) = \text{Current Rate} \times x + \text{Mean Rate} \times (1 - x) \quad (\text{bps}) \quad (5)$$

- $x$ : a parameter with arbitrary value for setting current rate importance versus mean rate.

Estimation of current rate for a short interval time is possible to perform.

Having transmission rate now estimation of amendment time is possible: firstly will be calculated how size of video need to be transmitted (6 formula).

$$\text{Mean Video Size } (Size_M) = \frac{\text{Video Size} + \text{Packets Count} \times \text{LEN}_{hdr}}{\text{Video Time}} \quad (\text{bit}) \quad (6)$$

Now must be knowed for transmission this mean size of data how much time is required regarding to transmission rate (formula 7).

$$\text{Required Time } (T_R) = \frac{Size_M}{R_E} \quad (\text{s}) \quad (7)$$

This amount must be less than 1. Extra time which we have in one second is (8 formula):

$$\text{Extra Time } (T_E) = 1 - T_R \quad (\text{s}) \quad (8)$$

This value is certainly less than 1 too. Finally amendment time be calculated by 9 formula:

$$T_{amend}[QN] = \frac{\Delta_{max}}{T_E[QN]} \quad (\text{s}) \quad (9)$$

Because  $T_E[QN]$  is less than 1,  $T_{amend}[QN]$  will be greater than  $\Delta_{max}$  but it is possible  $\Delta_{max}$  be considered as low limit of  $T_{amend}[QN]$ . Too for one high limit because transmission rate (assuming once transmission of each packet and irrespective to which it is successful or no) usually is greater than video rate (with unit of frame per second), likely  $T_{amend}[QN]$  time isn't greater than twice  $\Delta_{max}$ . This supposition is for which if transmission rate don't be greater twice video rate probability of retransmission will be low and near to zero. But this is an assumption and is considered for high limit determination of  $T_{amend}[QN]$ . In practice it is possible to be achieved greater values which must be normalized. According to expressed subject value of this parameter will be limited between  $\Delta_{max}$  and  $2 \times \Delta_{max}$ .

Other parameter in proposed formula (4) is summation of lost time from  $\Delta_{max}$  namely  $\Delta_{lost}$ . Maybe at first glance its calculation be looked very hard but with a little precision we can take to account a simple way for calculation it. With having start time of video stream and calculation of its difference from current time, it is distinct packets belonging to what time of video must be transmitted. If sending packet have time less than or equal with two values difference, it be used any amount of playout delay but if it's time be greater regarding to (1) formula,  $R(P_{i,j}^{(k)})$  must be minus from their difference and sum with  $\lambda$ . If result be greater than 0 this value considered as  $\Delta_{lost}$  and else be valued with 0 (it's better to say least value after 0). If  $\Delta_{lost}$  be greater than or equal with  $\Delta_{max}$  under some condition,  $\Delta_{sm}$  will be 0 due to it be dropped with high probability. Here according to the expression before there is a point which with considering short value for this parameter, first packets have the chance of wasting much amount of playout delay which is undesirable matter. For prevention from this problem that's needed its value firstly be greater

than 0 and secondly be random somewhat. For this reason it multiplied by  $g$  function which product random numbers between 1 and 2. So because  $\Delta_{lost}$  must be less than  $\Delta_{max}$  and on the other hand  $T_{amend}$  is between  $\Delta_{max}$   $2 \times \Delta_{max}$ , maximum value of  $\Delta_{lost}$  will be like to  $T_{amend}$ . Fraction which is seen in (4) must be converted into a number between 0 and 1. For this purpose that's needed to be specified minimum and maximum values of this fraction. Whole of the parameters of this fraction have distinct minimum and maximum values thus determination of minimum and maximum is possible for it.  $h$  function is for mapping numbers of this range to a number between 0 and 1. Assuming amount of the fraction be  $x$ ,  $h$  function is:

$$h(x) = \frac{x - \min(x)}{\max(x) - \min(x)} \quad (10)$$

When  $\Delta_{sm}$  became determined there is still a problem. Problem is due to value achieved from (4) although is less than  $\Delta_{max}$  but there is the probability of (however low) its summation with  $\Delta_{lost}$  exceed from  $\Delta_{max}$  which it is an unacceptable issue. So before using  $\Delta_{sm}$ , this matter must be investigated. Regarding to it smoothed playout delay calculation algorithm is:

- **smoothed playout delay calculation algorithm:**

If ( $\Delta_{lost} \geq \Delta_{max}$ )

$$\Delta_{sm} = 0$$

else

$$\Delta_{sm}(AC[QN], P_{i,j}^{(k)}) = \Delta_{max} \times h\left(\frac{(M(F_{i,j})+1) \times QW'[QN]}{T_{amend}[QN] + (\Delta_{lost} \cdot g)}\right)$$

If ( $\Delta_{sm}(AC[QN], P_{i,j}^{(k)}) + \Delta_{lost} > \Delta_{max}$ )

$$\Delta_{sm}(AC[QN], P_{i,j}^{(k)}) = \Delta_{max} - \Delta_{lost}$$

As be seen still it's possible to initializing  $\Delta_{sm}$  with  $\Delta_{max}$  (in aspect of algorithm) and also which summation  $\Delta_{sm}$  with  $\Delta_{lost}$  be equal to  $\Delta_{max}$ . Because never don't arrive to  $\Delta_{max}$ , using some Solution is possible. For example instead of using  $\Delta_{max}$ , a less threshold limit be used which isn't a good idea because it is a static solution and spite of creating a safe margin, sometimes will be wasted. Also it doesn't help to lack of severe limitation for next packets. Better idea is using a random number between two values and with condition of it be less than  $\Delta_{max}$  and such this algorithm will be improved. Also it's better to be added an equal sign to second condition in improved algorithm till in addition to satisfying summation of two values condition, prevent from initializing  $\Delta_{sm}$  with  $\Delta_{max}$  since exception occurrence.

- **Improved smoothed playout delay calculation algorithm:**

Other issue is impact amount of each parameter in ultimate value for each video packet and this formula can be more optimum using coefficients for different parameters. This subject is required extensive agument and can be considered in future work.

## Simulation and evaluating of proposed mechanism

For simulating proposed mechanism have been used from NS-2[9,10] and Evalvid<sup>1</sup> tool which is employed for transmission and evaluating video over NS. Evalvid drawback in context of video transmission is lack of video buffering and buffering management in the receiver side. Regarding need to considering playout delay and packets deadline, evaluating without using it was impossible. So we add buffering ability and buffering management to Evalvid till researchers can do simulations and evaluation of videos related issues effectively in future works.

Before simulation scenario expression, declaration of some assumptions is required.

- **Simulation assumptions:**

---

<sup>1</sup> Evaluation video



1. Two nodes in the network are defined: 1- video sender or server, 2- video receiver or client.
2. Wireless part of network is considered.
3. Both nodes are fixed and motionless.
4. Video coding is MPEG-4.
5. Channel error follows from uniform distribution.

In table 1 some important simulation parameters and in table 2 precise numbers of video frames is observed.

Table 1- simulation parameters values

Parameter	Value (Values)
Transmitting video	foreman-qcif
Video rate	30fps
GoP size	9
Video packets size	Up to 1024
Receiver playout delay	500ms
Retry limit	3 in two higher priority queues/1 in two lower priority queues
Transmission rate	Base rate 1Mbps/Maximum rate 11Mbps
Sender queues capacity	Each queue 50 packets
Queue size control algorithm	Drop-tail
Receiver buffer capacity	500 packets
$QWp1[1], QWp1[2], QWp1[3]^*$	0.02, 0.11, 0.21
$QWp2[1], QWp2[2], QWp2[3]^*$	0.4, 1.5, 5
$fraction\_sum^*$	1
$x^*$	0.7
$ep^*$	5ms

\* Last five lines are related to proposed mechanism parameters. First and second lines show weight of different queues in multiplication and summation states respectively and third line represent multiplication or summation selection in calculation of playout delay calculation. In line 4,  $x$  parameter is a value which is used in transmission rate calculation for weighting mean value versus current value. Also  $ep$  parameter in last line shows minimum value of lost playout delay ( $\Delta_{lost}$ ).

Table 2- precise number of video frames in simulation

In simulation, we mechanism SPD-RA in video traffic 2- light these states changing parameters number of via receiver and also versus network error

Total	B	P	I	Frame type
				Parameter
400	266	89	45	Frame number
659	273	149	237	Packet number

APSNR is a useful parameter for evaluation of video quality and get more precise quality estimation rather than PSNR. For briefness observance, changing trend for number of received

study proposed three states: 1- only traffic 3- heavy traffic. In two important video packets received Average PSNR (APSNR) increment is evaluated.

video packets only is showed in first state (figure 2). Charts are acquired from 15 times run of simulation.




Fig.2- number of received video packets for different retransmission methods while streaming only two video




Fig.3- APSNR at receiver in light traffic state




Fig.4- APSNR at receiver in heavy traffic state

In [4] is said CA-RLA has better performance rather than other mechanisms. So here we try to implement it correctly and use it for comparison with proposed mechanism SPD-RA. Of course a part of CA-RLA is image processing which we ignored it for simplicity because our mechanism can be improved by image processing too.

As be observed in many times proposed mechanism RA-SPD is better than other mechanisms and rarely has lower performance than CA-RLA or EDCA standard with little difference. This is somewhat natural because in changing and uncertain condition of wireless network, any mechanism can have best operation but maybe with better setting even can be achieved better results by RA-SPD. This issue is required more studies but in this paper has been tried simulation settings be proper as possible.

For numerical investigation of video quality improvement must be understood each 1db increase in APSNR about is equal with 3 percent quality improvement. So according to charts video quality improvement by using RA-SPD which is observed at receiver even can reach up to 30 percent (for example in light traffic) but if we measure with more precision, improvement rather than CA-RLA is about 5 percent and minimum 10 percent rather than standard EDCA on average.

## 5. Conclusion and future works

This paper offer an effective approach for retransmission decision of video packets in IEEE 802.11e standard which use from a concept namely Smoothed Playout Delay (SPD). Retransmission of packets in video application over network must perform according to playout delay amount. SPD is a calculated playout delay from maximum playout delay at receiver which has been applied it some effective parameters. Before playout delay was obtained from statistical approaches but now can be obtain via smoothed playout delay which it is easier and lighter way for this mean and can be very effective. Also this mechanism has high consistency with channel condition changes and different traffic existence. Video quality in this mechanism has been raised up to 5 percent than prior approaches and minimum 10 percent than EDCA standard.

One of future works is performing better settings for RA-SPD as possible and also studying effect of changing different parameters on RA-SPD performance. Using this approach with different queuing methods which do queuing of video frames with awareness and dynamically also can be

a useful issue for transmitted video quality improvement. Also using RA-SPD mechanism in condition which is different from simulation in this paper can complete researches in this context. Applying image processing ideas is one of other issues which aid to improvement of this approach so can help to identify more important packets with more accuracy and retransmit further the most important packets.

## References

[1] Gheisari, M., Esnaashari, M. (2017). A survey to face recognition algorithms: advantageous and disadvantageous. *Journal Modern Technology & Engineering*, V. 2(1), pp. 57-65.

[2] Gheisari, M., Baloochi, H., Gharghi, M., & Khajehyousefi, M. (2012). An Evaluation of Two Proposed Systems of Sensor Data's Storage in Total Data Parameter. *International Geoinformatics Research and Development Journal*.

[3] Gheisari, M.. Design, Implementation and Evaluation of SemHD: a New Semantic Hierarchical Sensor Data Storage. **Indian Journal of Innovations and Developments**, [S.I.], p. 115-120, mar. 2012. ISSN 2277 - 5390. Available at: <<http://ijid.informaticspublishing.com/index.php/ijid/article/view/31604>>. Date accessed: 21 Jun. 2018.

[4] M. Gheisari *et al.*, "NSSSD: A new semantic hierarchical storage for sensor data," *2016 IEEE 20th International Conference on Computer Supported Cooperative Work in Design (CSCWD)*, Nanchang, 2016, pp. 174-179.

[5] M. Gheisari, G. Wang and M. Z. A. Bhuiyan, "A Survey on Deep Learning in Big Data," *2017 IEEE International Conference on Computational Science and Engineering (CSE) and IEEE International Conference on Embedded and Ubiquitous Computing (EUC)*, Guangzhou, 2017, pp. 173-180.

[6] M. Jafari, J. Wang, Y. Qin, M. Gheisari, A. S. Shahabi and X. Tao, "Automatic text summarization using fuzzy inference," *2016 22nd International Conference on Automation and Computing (ICAC)*, Colchester, 2016, pp. 256-260.

[6] Gheisari, Mehdi, et al. "An Evaluation of Two Proposed Systems of Sensor Data's Storage in Total Data Parameter." *International Geoinformatics Research and Development Journal* (2012).

[7] Gheisari, Mehdi. "The Effectiveness of Schema Therapy Integrated with Neurological Rehabilitation Methods to Improve Executive Functions in Patients with Chronic Depression." *Health Science Journal* 10.4 (2016) page:1-6.

[8] Rezaeiye, Payam Porkar, and Mehdi Gheisari. "Performance analysis of two sensor data storages." *Proceedings of 2nd International Conference on Circuits, Systems, Communications & Computers (CSCC)*. 2011.

[9] Gheisari, Mehdi, et al. "A Comparison with some Sensor Network Storages." *International Conference on Computer and Computer Intelligence (ICCCI 2011)*. ASME Press, 2011.

[10] GhadakSaz, Ehsan, et al. "Design, Implement and Compare two proposed sensor data's storages Named SemHD and SSW." *From Editor in Chief* (2012): 78.

[11] Rezaeiye, Payam Porkar, et al. "Statistical method used for doing better corneal junction operation." *Advanced Materials Research*. Vol. 548. Trans Tech Publications, 2012.

[12] Gheisari, M., A. R. Bagheri. "SHD: a New Sensor Data Storage." *In 5th international symposium on advances in science & technology*. 2011.

[13] Porkar, Payam, et al. "A Comparison with Two Sensor Data Storages in Energy." *International Conference on Computer and Computer Intelligence (ICCCI 2011)*. ASME Press, 2011.

[14] Gheisari, Mehdi, and Mehdi Esnaashari. "Data Storages in Wireless Sensor Networks to Deal With Disaster Management." *Emergency and Disaster Management: Concepts, Methodologies, Tools, and Applications*. IGI Global, 2019. 655-682.

[16] Rezaeiye, Payam Porkar, et al. "Agent programming with object oriented (C++)." *Electrical, Computer and Communication Technologies (ICECCT), 2017 Second International Conference on*. IEEE, 2017.

[17] Gheisari, Mehdi, et al. "MAPP: A Modular Arithmetic Algorithm for Privacy Preserving in IoT." *Ubiquitous Computing and Communications (ISPA/IUCC), 2017 IEEE International Symposium on Parallel and Distributed Processing with Applications and 2017 IEEE International Conference on*. IEEE, 2017.

[18] Ashourian, Mohsen, Mehdi Gheisari, and Ali Hashemi. "An Improved Node Scheduling Scheme for Resilient Packet Ring Network." *Majlesi Journal of Electrical Engineering* 9.2 (2015): 43.

[19] Sharifzadeh, Manaf, Kaveh Bashash, Shahram Bashokian, and mehdi gheisari. "A Comparison with two semantic sensor data storages in total data transmission." *arXiv preprint arXiv:1401.7499* (2014).

[20] Porkar, P., Mojtaba Fazli, and M. Gheisari. "Sensor networks challenges." *11th international conference on data networks, DNCOCO '12*. 2012.

[22] Khajehyousefi, Mehdi, et al. "A Comparison with Three Proposed Sensors Data's Storages." *International Conference on Advanced Computer Theory and Engineering, 4th (ICACTE 2011)*. ASME Press, 2011.

[23] Fakhimi, Esmail, et al. "Design Two Sensor Data Storages." *International Conference on Advanced Computer Theory and Engineering, 4th (ICACTE 2011)*. ASME Press, 2011.

[24] Gheisari, Mehdi. "Design, implementation and evaluation of SemHD: a new semantic hierarchical sensor data storage." *Indian Journal of Innovations and Developments* 1.3 (2012): 115-120.

[25] Rezaeiye, Payam Porkar, et al. "Creating an ontology using protégé: concepts and taxonomies in brief."

[26] Gheisari M., Wang G., Chen S., Ghorbani H. (2018) IoT-SDNPP: A Method for Privacy-Preserving in Smart City with Software Defined Networking. In: Vaidya J., Li J. (eds) Algorithms and Architectures for Parallel Processing. ICA3PP 2018. Lecture Notes in Computer Science, vol 11337. Springer, Cham

[28] Mehdi Gheisari, Guojun Wang, Shuhong Chen, Ali Seyfollahi, A Method for Privacy-preserving in IoT-SDN Integration Environment, 16th IEEE International Symposium on Parallel and Distributed Processing with Applications (ISPA 2018), 11-13 Dec. 2018, Melbourne, Australia

[29] M. M. Motahari Kia, J. A. Alzubi, M. Gheisari, X. Zhang, M. Rahimi and Y. Qin, "A Novel Method for Recognition of Persian Alphabet by Using Fuzzy Neural Network," in *IEEE Access*, vol. 6, pp. 77265-77271, 2018.

[30] Alzubi J.A., Yaghoubi A., Gheisari M., Qin Y. (2018) Improve Heteroscedastic Discriminant Analysis by Using CBP Algorithm. In: Vaidya J., Li J. (eds) Algorithms and Architectures for Parallel Processing. ICA3PP 2018. Lecture Notes in Computer Science, vol 11335. Springer, Cham

[31] Jayaraman Sethuraman, Jafar Alzubi, Ramachandran Manikandan, Mehdi Gheisari\* and Ambeshwar Kumar, "Eccentric Methodology with Optimization to Unearth Hidden Facts of Search Engine Result Pages", *Recent Patents on Computer Science* (2018) 11: 1. <https://doi.org/10.2174/2213275911666181115093050>

[32] Mehdi Gheisari, Guojun Wang, Wazir Zada Khan, Christian Fernández-Campusano, A context-aware privacy-preserving method for IoT-based smart city using Software Defined Networking, *Computers & Security*, Volume 87, 2019, 101470, ISSN 0167-4048, <https://doi.org/10.1016/j.cose.2019.02.006>. (<http://www.sciencedirect.com/science/article/pii/S0167404818313336>)  
CCF B, IF=3.0

[33] Mehdi Gheisari, Guojun Wang, Shuhong Chen, An Edge Computing-enhanced Internet of Things Framework for Privacy-preserving in Smart City, *Computers & Electrical Engineering*, Volume 81, 2020, 106504, ISSN 0045-7906,

[34] Gheisari, M., Alzubi, J., Zhang, X. *et al.* Correction to: A new algorithm for optimization of quality of service in peer to peer wireless mesh networks. *Wireless Netw* **25**, 4445 (2019). <https://doi.org/10.1007/s11276-019-02016-4>

[35] X. Zhang, F. Fan, M. Gheisari and G. Srivastava, "A Novel Auto-Focus Method for Image Processing Using Laser Triangulation," in *IEEE Access*, vol. 7, pp. 64837-64843, 2019. doi: 10.1109/ACCESS.2019.2914186

[36] A. Hendalianpour *et al.*, "Hybrid Model of IVFRN-BWM and Robust Goal Programming in Agile and Flexible Supply Chain, a Case Study: Automobile Industry," in *IEEE Access*, vol. 7, pp. 71481-71492, 2019. doi: 10.1109/ACCESS.2019.2915309

[37] M. Gheisari *et al.*, "An Optimization Model for Software Quality Prediction With Case Study Analysis Using MATLAB," in *IEEE Access*, vol. 7, pp. 85123-85138, 2019. doi: 10.1109/ACCESS.2019.2920879.

[38] Noor, F, Sajid, A, Shah, SBH, Zaman, M, Gheisari, M, Mariappan, V. Bayesian estimation and prediction for Burr-Rayleigh mixture model using censored data. *Int J Commun Syst.* 2019;e4094. <https://doi.org/10.1002/dac.4094>

[39] M. Gheisari, Q. Pham, M. Alazab, X. Zhang, C. Fernández-Campusano and G. Srivastava, "ECA: An Edge Computing Architecture for Privacy-Preserving in IoT-Based Smart City," in *IEEE Access*, vol. 7, pp. 155779-155786, 2019. doi: 10.1109/ACCESS.2019.2937177

[40] M. Gheisari *et al.*, "A Survey on Clustering Algorithms in Wireless Sensor Networks: Challenges, Research, and Trends," *2020 International Computer Symposium (ICS)*, Tainan, Taiwan, 2020, pp. 294-299, doi: 10.1109/ICS51289.2020.00065.

[41] Kannan, S.; Dhiman, G.; Natarajan, Y.; Sharma, A.; Mohanty, S.N.; Soni, M.; Easwaran, U.; Ghorbani, H.; Asheralieva, A.; Gheisari, M. Ubiquitous Vehicular Ad-Hoc Network Computing Using Deep Neural Network with IoT-Based Bat Agents for Traffic Management. *Electronics* **2021**, *10*, 785. <https://doi.org/10.3390/electronics10070785>

[42] Movassagh, A.A., Alzubi, J.A., Gheisari, M. *et al.* Artificial neural networks training algorithm integrating invasive weed optimization with differential evolutionary model. *J Ambient Intell Human Comput* (2021). <https://doi.org/10.1007/s12652-020-02623-6>

[43] Shao, Yongfu, et al. "Optimization of Ultrasound Information Imaging Algorithm in Cardiovascular Disease Based on Image Enhancement." *Mathematical Problems in Engineering* 2021 (2021).

[44] Gheisari, M., Najafabadi, H. E., Alzubi, J. A., Gao, J., Wang, G., Abbasi, A. A., & Castiglione, A. (2021). OBPP: An ontology-based framework for privacy-preserving in IoT-based smart city. *Future Generation Computer Systems*.

[45] Hosseini Bamakan S M, Rahbar E, Gheisari M. Role of Wearable Technology in the Diagnosis and Prevention of COVID-19. *J Research Health*. 2021; 11 (4) :1-1

[46] S. Afrasiabi, B. Behdani, M. Afrasiabi, M. Mohammadi, A. Asheralieva and M. Gheisari, "Differential Protection of Power Transformers based on RSLVQ-Gradient Approach Considering SFCL," *2021 IEEE Madrid PowerTech*, 2021, pp. 1-6, doi: 10.1109/PowerTech46648.2021.9494873.

[47] B. Behdani, M. Allahbakhshi, A. Asheralieva and M. Gheisari, "Analytical Method for Ferroresonance Solutions in Series Compensated Power Systems due to GICs: A Graphical Approach," *2021 IEEE Madrid PowerTech*, 2021, pp. 1-6, doi: 10.1109/PowerTech46648.2021.9494921.

[48] Natarajan, Y., et al.: An IoT and machine learning-based routing protocol for reconfigurable engineering application. *IET Commun.* 00, 1– 12 (2021). <https://doi.org/10.1049/cmu2.12266>

[49] Mangla, Monika, et al. "A Proposed Framework for Autonomic Resource Management in Cloud Computing Environment." *Autonomic Computing in Cloud Resource Management in Industry 4.0*. Springer, Cham, 2021. 177-193.

[50] Li, Lintao, et al. "Research on TCP Performance Model and Transport Agent Architecture in Broadband Wireless Network." *Scalable Computing: Practice and Experience* 22.2 (2021): 193-201.

[51] S. Afrasiabi, B. Behdani, M. Afrasiabi, M. Mohammadi, Y. Liu and M. Gheisari, "A Comparative Analysis of Artificial Intelligence for Power Transformer Differential Protection," *2021 IEEE International Conference on Environment and Electrical Engineering and 2021 IEEE Industrial and Commercial Power Systems Europe (EEEIC / I&CPS Europe)*, 2021, pp. 1-6, doi: 10.1109/EEEIC/ICPSEurope51590.2021.9611033.

[52] M. Pazhoohesh, M. S. Javadi, M. Gheisari, S. Aziz and R. Villa, "Dealing with Missing Data in the Smart Buildings using Innovative Imputation Techniques," *IECON 2021 – 47th Annual Conference of the IEEE Industrial Electronics Society*, 2021, pp. 1-7, doi: 10.1109/IECON48115.2021.9612650.

[53] K. A. Raza, A. Asheralieva, M. M. Karim, K. Sharif, M. Gheisari and S. Khan, "A Novel Forwarding and Caching Scheme for Information-Centric Software-Defined Networks," *2021 International Symposium on Networks, Computers and Communications (ISNCC)*, 2021, pp. 1-8, doi: 10.1109/ISNCC52172.2021.9615667.

[54] Yogesh Kumar, Apeksha Koul, Pushpendra Singh Sisodia, Jana Shafi, Verma Kavita, Mehdi Gheisari, Mohamad Bagher Davoodi, "Heart Failure Detection Using Quantum-Enhanced Machine Learning and Traditional Machine Learning Techniques for Internet of Artificially Intelligent Medical Things", *Wireless Communications and Mobile Computing*, vol. 2021, Article ID 1616725, 16 pages, 2021.

[57] Abdullah Ajmal, Hamza Aldabbas, Rashid Amin, Sundas Ibrar, Bader Alouffi, Mehdi Gheisari, "Stress-Relieving Video Game and Its Effects: A POMS Case Study", *Computational Intelligence and Neuroscience*, vol. 2022, Article ID 4239536, 11 pages, 2022. <https://doi.org/10.1155/2022/4239536>

[58] Yongsheng Rao, Saeed Kosari, Mehdi Gheisari, "New Results in Vague Incidence Graphs with Application", *Journal of Function Spaces*, vol. 2022, Article ID 3475536, 7 pages, 2022. <https://doi.org/10.1155/2022/3475536>

[59] J. A. Alzubi *et al.*, "A Dynamic SDN-based Privacy-Preserving Approach for Smart City Using Trust Technique," *2022 9th Iranian Joint Congress on Fuzzy and Intelligent Systems (CFIS)*, 2022, pp. 1-5, doi: 10.1109/CFIS54774.2022.9756458.

[60] Yongsheng Rao, Saeed Kosari, Mehdi Gheisari, "New Results in Vague Incidence Graphs with Application", *Journal of Function Spaces*, vol. 2022, Article ID 3475536, 7 pages, 2022. <https://doi.org/10.1155/2022/3475536>

1. A. Javadpour, S. Rezaei, K.-C. Li, and G. Wang, "A Scalable Feature Selection and Opinion Miner Using Whale Optimization Algorithm," in <i>Advances in Signal Processing and Intelligent Recognition Systems</i> , 2020, pp. 237–247.
2. Javadpour and G. Wang, "CTMvSDN: improving resource management using combination of Markov-process and TDMA in software-defined networking," <i>J. Supercomput.</i> , 2021.
3. A. K. Sangaiah <i>et al.</i> , "Energy-aware Geographic Routing for Real Time Workforce Monitoring in Industrial Informatics," <i>IEEE Internet Things J.</i> , p. 1, 2021.
4. <a href="#">Optimized score function and its application in group multiattribute decision making based on fuzzy neutrosophic sets</a> AmirHossein Nafei, Amir Javadpour, Hadi Nasser, Wenjun Yuan
5. Javadpour, "Providing a Way to Create Balance Between Reliability and Delays in SDN Networks by Using the Appropriate Placement of Controllers," <i>Wirel. Pers. Commun.</i> , 2019.
6. A. Javadpour and H. Memarzadeh-Tehran, "A wearable medical sensor for provisional healthcare," <i>Physics and Technology of Sensors (ISPTS), 2015 2nd International Symposium on</i> . pp. 293–296, 2015.
7. Amir Javadpour and A. reza Mohammadi, "Improving Brain Magnetic Resonance Image (MRI) Segmentation via a Novel Algorithm based on Genetic and Regional Growth," <i>J. Biomed. Phys. Eng.</i> , vol. 6, no. 2, pp. 95–108, Jun. 2016.
8. A. Javadpour and H. Memarzadeh-Tehran, "A wearable medical sensor for provisional healthcare," <i>ISPTS 2015 - 2nd Int. Symp. Phys. Technol. Sensors Dive Deep Into Sensors, Proc.</i> , pp. 293–296, 2015.
9. A. Javadpour, G. Wang, S. Rezaei, and S. Chend, "Power Curtailment in Cloud Environment Utilising Load Balancing Machine Allocation," in <i>2018 IEEE SmartWorld, Ubiquitous Intelligence Computing, Advanced Trusted Computing, Scalable Computing Communications, Cloud Big Data Computing, Internet of People and Smart City Innovation (SmartWorld/SCALCOM/UIC/ATC/CBDCom/IOP/SCI)</i> , 2018, pp. 1364–1370.
10. S. M. Mirmohseni, A. Javadpour, and C. Tang, "LBPSGORA: Create Load Balancing with Particle Swarm Genetic Optimization Algorithm to Improve Resource Allocation and Energy Consumption in Clouds Networks," <i>Math. Probl. Eng.</i> , vol. 2021, 2021.
11. A. Javadpour, H. Memarzadeh-Tehran, and F. Saghaei, "A temperature monitoring system incorporating an array of precision wireless thermometers," <i>Smart Sensors and Application (ICSSA), 2015 International Conference on</i> . pp. 155–160, 2015.



12. Javadpour, "Improving Resources Management in Network Virtualization by Utilizing a Software-Based Network," <i>Wirel. Pers. Commun.</i> , vol. 106, no. 2, pp. 505–519, 2019.
13. S. M. Mirmohseni, C. Tang, and A. Javadpour, "Using Markov Learning Utilization Model for Resource Allocation in Cloud of Thing Network," <i>Wirel. Pers. Commun.</i> , 2020.
14. A. Javadpour, G. Wang, and S. Rezaei, "Resource Management in a Peer to Peer Cloud Network for IoT," <i>Wirel. Pers. Commun.</i> , 2020.
15. A. Javadpour, G. Wang, and X. Xing, "Managing Heterogeneous Substrate Resources by Mapping and Visualization Based on Software-Defined Network," in <i>2018 IEEE Intl Conf on Parallel Distributed Processing with Applications, Ubiquitous Computing Communications, Big Data Cloud Computing, Social Computing Networking, Sustainable Computing Communications (ISPA/IUCC/BDCLOUD/SocialCom/SustainCom)</i> , 2018, pp. 316–321.
16. A. Javadpour, "An Optimize-Aware Target Tracking Method Combining MAC Layer and Active Nodes in Wireless Sensor Networks," <i>Wirel. Pers. Commun.</i> , 2019.
17. A. Javadpour, A. M. H. Abadi, S. Rezaei, M. Zomorodian, and A. S. Rostami, "Improving load balancing for data-duplication in big data cloud computing networks," <i>Cluster Comput.</i> , 2021.
18. Javadpour, G. Wang, S. Rezaei, and K.-C. Li, "Detecting straggler MapReduce tasks in big data processing infrastructure by neural network," <i>J. Supercomput.</i> , Jan. 2020.
19. A. Javadpour, K. Saedifar, G. Wang, and K.-C. Li, "Optimal Execution Strategy for Large Orders in Big Data: Order Type using Q-learning Considerations," <i>Wirel. Pers. Commun.</i> , Jan. 2020.
20. A. Javadpour, N. Adelpour, G. Wang, and T. Peng, "Combing Fuzzy Clustering and PSO Algorithms to Optimize Energy Consumption in WSN Networks," <i>2018 IEEE SmartWorld, Ubiquitous Intell. Comput. Adv. Trust. Comput. Scalable Comput. Commun. Cloud Big Data Comput. Internet People Smart City Innov.</i> , pp. 1371–1377, 2018.
21. Javadpour, S. Kazemi Abharian, and G. Wang, "Feature Selection and Intrusion Detection in Cloud Environment Based on Machine Learning Algorithms," <i>2017 IEEE Int. Symp. Parallel Distrib. Process. with Appl. 2017 IEEE Int. Conf. Ubiquitous Comput. Commun.</i> , pp. 1417–1421, 2017.
22. <a href="#">ROOA: CloudIDE framework for extension development</a> M Javidpanah, <a href="#">A Javadpour</a> , <a href="#">S Rezaei</a> - <i>International Journal of Cognitive ...</i> , 2021 - Elsevier

[1] Gheisari, M., Esnaashari, M. (2017). A survey to face recognition algorithms: advantageous and disadvantageous. *Journal Modern Technology & Engineering*, V. 2(1), pp. 57-65.

```
@Article{imagesurvey,
  author = {M.Gheisari and M. Esnaashari},
  title = {A survey to face recognition algorithms: advantageous and disadvantageous},
  journal = {Journal Modern Technology \& Engineering},
  year = {2017},
  volume = {2},
  number = {1},
  pages = {57-65},
}
```

[2] Gheisari, M., Baloochi, H., Gharghi, M., & Khajehyousefi, M. (2012). An Evaluation of Two Proposed Systems of Sensor Data's Storage in Total Data Parameter. *International Geoinformatics Research and Development Journal*.

```
@article{gheisari2012evaluation,
  title={An Evaluation of Two Proposed Systems of Sensor Data's Storage in Total Data Parameter},
```

```
author={Gheisari, Mehdi and Baloochi, Hamed and Gharghi, Meysam and
Khajehyousefi, Mehdi},
journal={International Geoinformatics Research and Development Journal},
year={2012}
}
```

[3] Gheisari, M.. Design, Implementation and Evaluation of SemHD: a New Semantic Hierarchical Sensor Data Storage. **Indian Journal of Innovations and Developments**, [S.l.], p. 115-120, mar. 2012. ISSN 2277 - 5390. Available at: <<http://ijid.informaticspublishing.com/index.php/ijid/article/view/31604>>. Date accessed: 21 Jun. 2018.

```
@Article{SemHD,
author = {GHEISARI, M},
title = {Design, Implementation and Evaluation of SemHD},
journal = {Indian Journal of Innovations and Developments},
year = {2012},
pages = {115-120},
month = {March}
}
```

[4] M. Gheisari *et al.*, "NSSSD: A new semantic hierarchical storage for sensor data," *2016 IEEE 20th International Conference on Computer Supported Cooperative Work in Design (CSCWD)*, Nanchang, 2016, pp. 174-179.

```
@INPROCEEDINGS{7565984,
author={M. Gheisari and A. A. Movassagh and Y. Qin and J. Yong and X. Tao and J.
Zhang and H. Shen},
booktitle={2016 IEEE 20th International Conference on Computer Supported
Cooperative Work in Design (CSCWD)},
title={NSSSD: A new semantic hierarchical storage for sensor data},
year={2016},
volume={},
number={},
pages={174-179},
month={May},}
```

[5] M. Gheisari, G. Wang and M. Z. A. Bhuiyan, "A Survey on Deep Learning in Big Data," *2017 IEEE International Conference on Computational Science and Engineering (CSE) and IEEE International Conference on Embedded and Ubiquitous Computing (EUC)*, Guangzhou, 2017, pp. 173-180.

```
@INPROCEEDINGS{8005992,
author={M. Gheisari and G. Wang and M. Z. A. Bhuiyan},
booktitle={2017 IEEE International Conference on Computational Science and
Engineering (CSE) and IEEE International Conference on Embedded and Ubiquitous
Computing (EUC)},
title={A Survey on Deep Learning in Big Data},
year={2017},
volume={2},
number={},
pages={173-180},
month={July},}
```

[6] M. Jafari, J. Wang, Y. Qin, M. Gheisari, A. S. Shahabi and X. Tao, "Automatic text summarization using fuzzy inference," *2016 22nd International Conference on Automation and Computing (ICAC)*, Colchester, 2016, pp. 256-260.

```
@INPROCEEDINGS{7604928,  
author={M. Jafari and J. Wang and Y. Qin and M. Gheisari and A. S. Shahabi and X.  
Tao},  
booktitle={2016 22nd International Conference on Automation and Computing (ICAC)},  
title={Automatic text summarization using fuzzy inference},  
year={2016},  
volume={},  
number={},  
pages={256-260},  
  
ISSN={},  
month={Sept},}
```

[6] Gheisari, Mehdi, et al. "An Evaluation of Two Proposed Systems of Sensor Data's Storage in Total Data Parameter." *International Geoinformatics Research and Development Journal* (2012).

```
@article{gheisari2012evaluation,  
title={An Evaluation of Two Proposed Systems of Sensor Data's Storage in Total  
Data Parameter},  
author={Gheisari, Mehdi and Baloochi, Hamed and Gharghi, Meysam and  
Khajehyousefi, Mehdi},  
journal={International Geoinformatics Research and Development Journal},  
year={2012}  
}
```

[7] Gheisari, Mehdi. "The Effectiveness of Schema Therapy Integrated with Neurological Rehabilitation Methods to Improve Executive Functions in Patients with Chronic Depression." *Health Science Journal* 10.4 (2016) page:1-6.

```
@article{gheisari2016effectiveness,  
title={The Effectiveness of Schema Therapy Integrated with Neurological  
Rehabilitation Methods to Improve Executive Functions in Patients with Chronic  
Depression},  
author={Gheisari, Mehdi},  
journal={Health Science Journal},  
volume={10},  
number={4},  
year={2016},  
page={1:6}  
publisher={iMedPub}  
}
```

[8] Rezaeiye, Payam Porkar, and Mehdi Gheisari. "Performance analysis of two sensor data storages." *Proceedings of 2nd International Conference on Circuits, Systems, Communications & Computers (CSCC)*. 2011.

```
@inproceedings{rezaeiye2011performance,  
title={Performance analysis of two sensor data storages},  
author={Rezaeiye, Payam Porkar and Gheisari, Mehdi},
```

```
booktitle={Proceedings of 2nd International Conference on Circuits, Systems,
Communications \& Computers (CSCC)},
pages={133--136},
year={2011}
}
```

[9] Gheisari, Mehdi, et al. "A Comparison with some Sensor Network Storages." *International Conference on Computer and Computer Intelligence (ICCCI 2011)*. ASME Press, 2011.

```
@inproceedings{gheisari2011comparison,
title={A Comparison with some Sensor Network Storages},
author={Gheisari, Mehdi and Bahekmat, Maliheh and Setoodeh, Hamid Reza and
Khajehyousefi, Mehdi},
booktitle={International Conference on Computer and Computer Intelligence
(ICCCI 2011)},
year={2011},
organization={ASME Press}
}
```

[10] GhadakSaz, Ehsan, et al. "Design, Implement and Compare two proposed sensor data's storages Named SemHD and SSW." *From Editor in Chief* (2012): 78.

```
@article{ghadaksaz2012design,
title={Design, Implement and Compare two proposed sensor data's storages Named
SemHD and SSW},
author={GhadakSaz, Ehsan and Amini, Mohammad Reza and Porkar, Payam and
Gheisari, Mehdi},
journal={From Editor in Chief},
pages={78},
year={2012}
}
```

[11] Rezaeiye, Payam Porkar, et al. "Statistical method used for doing better corneal junction operation." *Advanced Materials Research*. Vol. 548. Trans Tech Publications, 2012.

```
@inproceedings{rezaeiye2012statistical,
title={Statistical method used for doing better corneal junction operation},
author={P.P.Rezaeiye and P.P. Rezaeiye and E.Karbalayi and M.Gheisari},
booktitle={Advanced Materials Research},
volume={548},
pages={762--766},
year={2012},
organization={Trans Tech Publ}
}
```

[12] Gheisari, M., A. R. Bagheri. "SHD: a New Sensor Data Storage." *In 5th international symposium on advances in science & technology*. 2011.

```
@inproceedings{gheisari2011shd,
title={SHD: a New Sensor Data Storage},
author={Gheisari, M and Bagheri, AR },
booktitle={In 5th international symposium on advances in science \&
technology},
year={2011}
```

}

[13] Porkar, Payam, et al. "A Comparison with Two Sensor Data Storages in Energy." *International Conference on Computer and Computer Intelligence (ICCCI 2011)*. ASME Press, 2011.

```
@inproceedings{porkar2011comparison,
  title={A Comparison with Two Sensor Data Storages in Energy},
  author={P.P.Porkar and M.Gheisari and G.H.Bazyari and Z.Kaviyanjahromi},
  booktitle={International Conference on Computer and Computer Intelligence (ICCCI 2011)},
  year={2011},
  organization={ASME Press}
}
```

[14] Gheisari, Mehdi, and Mehdi Esnaashari. "Data Storages in Wireless Sensor Networks to Deal With Disaster Management." *Emergency and Disaster Management: Concepts, Methodologies, Tools, and Applications*. IGI Global, 2019. 655-682.

```
@incollection{gheisari2019data,
  title={Data Storages in Wireless Sensor Networks to Deal With Disaster Management},
  author={M.Gheisari and M.Esnaashari},
  booktitle={Emergency and Disaster Management: Concepts, Methodologies, Tools, and Applications},
  pages={655--682},
  year={2019},
  publisher={IGI Global}
}
```

[16] Rezaeiye, Payam Porkar, et al. "Agent programming with object oriented (C++)." *Electrical, Computer and Communication Technologies (ICECCT), 2017 Second International Conference on*. IEEE, 2017.

```
@inproceedings{rezaeiye2017agent,
  title={Agent programming with object oriented (C++)},
  author={P.P. Rezaeiye, and p.p. Rezaeiye and E. F. Gh. M. Beig and H. Mohseni and R. Kaviani and M. Gheisari and M. Golzar},
  booktitle={Electrical, Computer and Communication Technologies (ICECCT), 2017 Second International Conference on},
  pages={1--10},
  year={2017},
  organization={IEEE}
}
```

[17] Gheisari, Mehdi, et al. "MAPP: A Modular Arithmetic Algorithm for Privacy Preserving in IoT." *Ubiquitous Computing and Communications (ISPA/IUCC), 2017 IEEE International Symposium on Parallel and Distributed Processing with Applications and 2017 IEEE International Conference on*. IEEE, 2017.

```
@inproceedings{gheisari2017mapp,
  title={MAPP: A Modular Arithmetic Algorithm for Privacy Preserving in IoT},
  author={M.Gheisari and G.Wang and M.D.Z.A. Bhuiyan and Z. Wei},
  booktitle={Ubiquitous Computing and Communications (ISPA/IUCC), 2017 IEEE International Symposium on Parallel and Distributed Processing with Applications and 2017 IEEE International Conference on},
  pages={897--903},
  year={2017},
}
```

```
organization={IEEE}
}
```

[18] Ashourian, Mohsen, Mehdi Gheisari, and Ali Hashemi. "An Improved Node Scheduling Scheme for Resilient Packet Ring Network." *Majlesi Journal of Electrical Engineering* 9.2 (2015): 43.

```
@article{ashourian2015improved,
  title={An Improved Node Scheduling Scheme for Resilient Packet Ring Network},
  author={M,Ashourian and M,Gheisari and A,Hashemi},
  journal={Majlesi Journal of Electrical Engineering},
  volume={9},
  number={2},
  pages={43},
  year={2015},
  publisher={Islamic Azad University Majlesi}
}
```

[19] Sharifzadeh, Manaf, Kaveh Bashash, Shahram Bashokian, and mehdi gheisari. "A Comparison with two semantic sensor data storages in total data transmission." *arXiv preprint arXiv:1401.7499* (2014).

```
@article{sharifzadeh2014comparison,
  title={A Comparison with two semantic sensor data storages in total data transmission},
  author={Sharifzadeh, Manaf and Bashash, Kaveh and Bashokian, Shahram and others},
  journal={arXiv preprint arXiv:1401.7499},
  year={2014}
}
```

[20] Porkar, P., Mojtaba Fazli, and M. Gheisari. "Sensor networks challenges." *11th international conference on data networks, DNCOCO '12*. 2012.

```
@inproceedings{porkar2012sensor,
  title={Sensor networks challenges},
  author={Porkar, P and Fazli, Mojtaba and Gheisari, M},
  booktitle={11th international conference on data networks, DNCOCO '12},
  year={2012}
}
```

[22] Khajehyousefi, Mehdi, et al. "A Comparison with Three Proposed Sensors Data's Storages." *International Conference on Advanced Computer Theory and Engineering, 4th (ICACTE 2011)*. ASME Press, 2011.

```
@inproceedings{khajehyousefi2011comparison,
  title={A Comparison with Three Proposed Sensors Data's Storages},
  author={Khajehyousefi, Mehdi and Karimi, Mehdi and Bazyari, Gholam Hossein and Gheisari, Mehdi},
  booktitle={International Conference on Advanced Computer Theory and Engineering, 4th (ICACTE 2011)},
  year={2011},
  organization={ASME Press}
}
```

[23] Fakhimi, Esmaeil, et al. "Design Two Sensor Data Storages." *International Conference on Advanced Computer Theory and Engineering, 4th (ICACTE 2011)*. ASME Press, 2011.

```

@inproceedings{fakhimi2011design,
  title={Design Two Sensor Data Storages},
  author={Fakhimi, Esmaeil and Ajandak, Ghorban and Gheisari, Mehdi and Bahekm, Maliheh},
  booktitle={International Conference on Advanced Computer Theory and Engineering, 4th (ICACTE 2011)},
  year={2011},
  organization={ASME Press}
}

```

[24] Gheisari, Mehdi. "Design, implementation and evaluation of SemHD: a new semantic hierarchical sensor data storage." *Indian Journal of Innovations and Developments* 1.3 (2012): 115-120.

```

@article{gheisari2012design,
  title={Design, implementation and evaluation of SemHD: a new semantic hierarchical sensor data storage},
  author={Gheisari, Mehdi},
  journal={Indian Journal of Innovations and Developments},
  volume={1},
  number={3},
  pages={115--120},
  year={2012}
}

```

[25] Rezaeiye, Payam Porkar, et al. "Creating an ontology using protégé: concepts and taxonomies in brief."

```

@Article{rezaeiyecreating,
  author = {Rezaeiye, Payam Porkar and Fazli, Mojtaba and Sharifzadeh, Manaf and Moghaddam, Hani and Gheisari, Mehdi},
  title = {Creating an ontology using protege: concepts and taxonomies in brief},
  journal = {Advances in Mathematical and Computational Methods},
  volume={1},
  number={3},
  pages={115--120},
  year={2012}
}

```

[26] Gheisari M., Wang G., Chen S., Ghorbani H. (2018) IoT-SDNPP: A Method for Privacy-Preserving in Smart City with Software Defined Networking. In: Vaidya J., Li J. (eds) Algorithms and Architectures for Parallel Processing. ICA3PP 2018. Lecture Notes in Computer Science, vol 11337. Springer, Cham

```

@InProceedings{10.1007/978-3-030-05063-4_24,
  author="Gheisari, Mehdi and Wang, Guojun and Chen, Shuhong and Ghorbani, Hamidreza",
  title="IoT-SDNPP: A Method for Privacy-Preserving in Smart City with Software Defined Networking",
  booktitle="Algorithms and Architectures for Parallel Processing",
  year="2018",
  publisher="Springer International Publishing",
  pages="303--312",
}

```

[28] Mehdi Gheisari, Guojun Wang, Shuhong Chen, Ali Seyfollahi, A Method for Privacy-preserving in IoT-SDN Integration Environment, 16th IEEE International Symposium on Parallel and Distributed Processing with Applications (ISPA 2018), 11-13 Dec. 2018, Melbourne, Australia

```

@InProceedings{ISPA2018,
  author = {Mehdi Gheisari, Guojun Wang, Shuhong Chen, Ali Seyfollahi},
  title = {A Method for Privacy-preserving in IoT-SDN Integration Environment},
  booktitle = {16th IEEE International Symposium on Parallel and Distributed Processing with Applications (ISPA 2018)},
  year = {11-13 Dec. 2018, Melbourne, Australia},
  journal = {16th IEEE International Symposium on Parallel and Distributed Processing with Applications (ISPA 2018)},
}

```

[29] M. M. Motahari Kia, J. A. Alzubi, M. Gheisari, X. Zhang, M. Rahimi and Y. Qin, "A Novel Method for Recognition of Persian Alphabet by Using Fuzzy Neural Network," in *IEEE Access*, vol. 6, pp. 77265-77271, 2018.

```

@ARTICLE{ACCESSOCR,
  author={M. M. Motahari Kia and J. A. Alzubi and M. Gheisari and X. Zhang and M. Rahimi and Y. Qin},
  journal={IEEE Access},
  title={A Novel Method for Recognition of Persian Alphabet by Using Fuzzy Neural Network},
  year={2018},
  volume={6},
  number={},
  pages={77265-77271},
  month={},}

```

[30] Alzubi J.A., Yaghoubi A., Gheisari M., Qin Y. (2018) Improve Heteroscedastic Discriminant Analysis by Using CBP Algorithm. In: Vaidya J., Li J. (eds) Algorithms and Architectures for Parallel Processing. ICA3PP 2018. Lecture Notes in Computer Science, vol 11335. Springer, Cham

```

@InProceedings{10.1007/978-3-030-05054-2_10,
  author="Alzubi, Jafar A.and Yaghoubi, Ali and Gheisari, Mehdi and Qin, Yongrui",
  title="Improve Heteroscedastic Discriminant Analysis by Using CBP Algorithm",
  booktitle="Algorithms and Architectures for Parallel Processing",
  year="2018",
  publisher="Springer International Publishing",
  address="Cham",
  pages="130--144",
}

```

[31] Jayaraman Sethuraman, Jafar Alzubi, Ramachandran Manikandan, Mehdi Gheisari\* and Ambeshwar Kumar, "Eccentric Methodology with Optimization to Unearth Hidden Facts of Search Engine Result Pages", *Recent Patents on Computer Science* (2018) 11: 1. <https://doi.org/10.2174/2213275911666181115093050>

```

@Article{searchengine,
  author = {Jayaraman Sethuraman, Jafar Alzubi, Ramachandran Manikandan, Mehdi Gheisari},
  title = {Eccentric Methodology with Optimization to Unearth Hidden Facts of Search Engine Result Pages},
  journal = {Recent Patents on Computer Science},
  year = {2018},
  pages = {11:1},
}

```



}

[32] Mehdi Gheisari, Guojun Wang, Wazir Zada Khan, Christian Fernández-Campusano, A context-aware privacy-preserving method for IoT-based smart city using Software Defined Networking, *Computers & Security*, Volume 87, 2019, 101470, ISSN 0167-4048, <https://doi.org/10.1016/j.cose.2019.02.006>.

(<http://www.sciencedirect.com/science/article/pii/S0167404818313336>)

CCF B, IF=3.0

```
@article{GHEISARI2019101470,
title = "A context-aware privacy-preserving method for IoT-based smart city using Software Defined Networking",
journal = "Computers & Security",
volume = "87",
pages = "101470",
year = "2019",
issn = "0167-4048",
doi = "https://doi.org/10.1016/j.cose.2019.02.006",
url = "http://www.sciencedirect.com/science/article/pii/S0167404818313336",
author = "Mehdi Gheisari and Guojun Wang and Wazir Zada Khan and Christian Fernández-Campusano",
}
```

[33] Mehdi Gheisari, Guojun Wang, Shuhong Chen, An Edge Computing-enhanced Internet of Things Framework for Privacy-preserving in Smart City, *Computers & Electrical Engineering*, Volume 81, 2020, 106504, ISSN 0045-7906,

```
@article{GHEISARI2020106504,
title = "An Edge Computing-enhanced Internet of Things Framework for Privacy-preserving in Smart City",
journal = "Computers & Electrical Engineering",
volume = "81",
pages = "106504",
year = "2020",
issn = "0045-7906",
doi = "https://doi.org/10.1016/j.compeleceng.2019.106504",
url = "http://www.sciencedirect.com/science/article/pii/S0045790618329082",
author = "Mehdi Gheisari and Guojun Wang and Shuhong Chen",
}
```

[34] Gheisari, M., Alzubi, J., Zhang, X. *et al.* Correction to: A new algorithm for optimization of quality of service in peer to peer wireless mesh networks. *Wireless Netw* **25**, 4445 (2019). <https://doi.org/10.1007/s11276-019-02016-4>

```
@Article{Gheisari2019,
author="Gheisari, Mehdi
and Alzubi, Jafar
and Zhang, Xioabo
and Kose, Utku
and Saucedo, Jose Antonio Marmolejo",
title="A new algorithm for optimization of quality of service in peer to peer wireless mesh networks",
journal="Wireless Networks",
year="2019",
month="Mar",
day="23",
}
```

[35] X. Zhang, F. Fan, M. Gheisari and G. Srivastava, "A Novel Auto-Focus Method for Image Processing Using Laser Triangulation," in *IEEE Access*, vol. 7, pp. 64837-64843, 2019. doi: 10.1109/ACCESS.2019.2914186

```
@ARTICLE{8703430,  
author={X. {Zhang} and F. {Fan} and M. {Gheisari} and G. {Srivastava}},  
journal={IEEE Access},  
title={A Novel Auto-Focus Method for Image Processing Using Laser Triangulation},  
year={2019},  
volume={7},  
number={},  
pages={64837-64843},  
doi={10.1109/ACCESS.2019.2914186},  
ISSN={2169-3536},  
month={},}
```

[36] A. Hendalianpour *et al.*, "Hybrid Model of IVFRN-BWM and Robust Goal Programming in Agile and Flexible Supply Chain, a Case Study: Automobile Industry," in *IEEE Access*, vol. 7, pp. 71481-71492, 2019. doi: 10.1109/ACCESS.2019.2915309

```
@ARTICLE{8713447,  
author={A. {Hendalianpour} and M. {Fakhrabadi} and X. {Zhang} and M. R. {Feylizadeh} and M. {Gheisari} and P. {Liu} and N. {Ashktorab}},  
journal={IEEE Access},  
title={Hybrid Model of IVFRN-BWM and Robust Goal Programming in Agile and Flexible Supply Chain, a Case Study: Automobile Industry},  
year={2019},  
volume={7},  
number={},  
pages={71481-71492},  
ISSN={2169-3536},  
month={},}
```

[37] M. Gheisari *et al.*, "An Optimization Model for Software Quality Prediction With Case Study Analysis Using MATLAB," in *IEEE Access*, vol. 7, pp. 85123-85138, 2019, doi: 10.1109/ACCESS.2019.2920879.

```
@ARTICLE{8731856,  
author={M. {Gheisari} and D. {Panwar} and P. {Tomar} and H. {Harsh} and X. {Zhang} and A. {Solanki} and A. {Nayyar} and J. A. {Alzubi}},
```

journal={IEEE Access},  
title={An Optimization Model for Software Quality Prediction With Case Study Analysis  
Using MATLAB},  
year={2019},  
volume={7},  
number={},  
pages={85123-85138},  
ISSN={2169-3536},  
month={},}

[38] Noor, F, Sajid, A, Shah, SBH, Zaman, M, Gheisari, M, Mariappan, V. Bayesian estimation and prediction for Burr-Rayleigh mixture model using censored data. *Int J Commun Syst.* 2019;e4094. <https://doi.org/10.1002/dac.4094>

```
@article{doi:10.1002/dac.4094,  
  author = {Noor, Farzana and Sajid, Ahthasham and Shah, Syed Bilal Hussain and  
Zaman, Mehwish and Gheisari, Mehdi and Mariappan, Vinayagam},  
  title = {Bayesian estimation and prediction for Burr-Rayleigh mixture model using  
censored data},  
  journal = {International Journal of Communication Systems},  
  volume = {0},  
  number = {0},  
  pages = {e4094},  
}
```

[39] M. Gheisari, Q. Pham, M. Alazab, X. Zhang, C. Fernández-Campusano and G. Srivastava, "ECA: An Edge Computing Architecture for Privacy-Preserving in IoT-Based Smart City," in *IEEE Access*, vol. 7, pp. 155779-155786, 2019. doi: 10.1109/ACCESS.2019.2937177

```
@ARTICLE{8811469,  
author={M. {Gheisari} and Q. {Pham} and M. {Alazab} and X. {Zhang} and C.  
{Fernández-Campusano} and G. {Srivastava}},  
journal={IEEE Access},  
title={ECA: An Edge Computing Architecture for Privacy-Preserving in IoT-Based Smart  
City},  
year={2019},  
volume={7},  
number={},  
pages={155779-155786},  
ISSN={2169-3536},  
month={},}
```

[40] M. Gheisari *et al.*, "A Survey on Clustering Algorithms in Wireless Sensor Networks: Challenges, Research, and Trends," *2020 International Computer Symposium (ICS)*, Tainan, Taiwan, 2020, pp. 294-299, doi: 10.1109/ICS51289.2020.00065.

```
@INPROCEEDINGS{9359086, author={M. {Gheisari} and A. A. {Abbasi} and Z. {Sayari} and Q. {Rizvi} and A. {Asheralieva} and S. {Banu} and F. M. {Awaysheh} and S. B. H. {Shah} and K. A. {Raza}}, booktitle={2020 International Computer Symposium (ICS)}, title={A Survey on Clustering Algorithms in Wireless Sensor Networks: Challenges, Research, and Trends}, year={2020}, volume={}, number={}, pages={294-299}, doi={10.1109/ICS51289.2020.00065}}
```

[41] Kannan, S.; Dhiman, G.; Natarajan, Y.; Sharma, A.; Mohanty, S.N.; Soni, M.; Easwaran, U.; Ghorbani, H.; Asheralieva, A.; Gheisari, M. Ubiquitous Vehicular Ad-Hoc Network Computing Using Deep Neural Network with IoT-Based Bat Agents for Traffic Management. *Electronics* 2021, 10, 785. <https://doi.org/10.3390/electronics10070785>

```
@Article{electronics10070785, AUTHOR = {Kannan, Srihari and Dhiman, Gaurav and Natarajan, Yuvaraj and Sharma, Ashutosh and Mohanty, Sachi Nandan and Soni, Mukesh and Easwaran, Udayakumar and Ghorbani, Hamidreza and Asheralieva, Alia and Gheisari, Mehdi}, TITLE = {Ubiquitous Vehicular Ad-Hoc Network Computing Using Deep Neural Network with IoT-Based Bat Agents for Traffic Management}, JOURNAL = {Electronics}, VOLUME = {10}, YEAR = {2021}, NUMBER = {7}, ARTICLE-NUMBER = {785}, URL = {https://www.mdpi.com/2079-9292/10/7/785}, }
```

[42] Movassagh, A.A., Alzubi, J.A., Gheisari, M. *et al.* Artificial neural networks training algorithm integrating invasive weed optimization with differential evolutionary model. *J Ambient Intell Human Comput* (2021). <https://doi.org/10.1007/s12652-020-02623-6>

```
@Article{Movassagh2021, author = {Ali Akbar Movassagh and Jafar A. Alzubi and Mehdi Gheisari and Mohamadtaghi Rahimi and Senthilkumar Mohan and Aaqif Afzaal Abbasi and Narjes Nabipour}, journal = {Journal of Ambient Intelligence and Humanized Computing}, title = {Artificial neural networks training algorithm integrating invasive weed optimization with differential evolutionary model}, year = {2021}, month = {mar}, doi = {10.1007/s12652-020-02623-6}, publisher = {Springer Science and Business Media {LLC}}, }
```

[43] Shao, Yongfu, et al. "Optimization of Ultrasound Information Imaging Algorithm in Cardiovascular Disease Based on Image Enhancement." *Mathematical Problems in Engineering* 2021 (2021).

```
@article{shao2021optimization, title={Optimization of Ultrasound Information Imaging Algorithm in Cardiovascular Disease Based on Image Enhancement}, author={Shao, Yongfu and Wu, Jue and Ou, Hongping and Pei, Min and Liu, Li and Movassagh, Ali Akbar and Sharma, Ashutosh and Dhiman, Gaurav and Gheisari, Mehdi and Asheralieva, Alia}, journal={Mathematical Problems in Engineering}, volume={2021}, year={2021}, publisher={Hindawi} }
```

[44] Gheisari, M., Najafabadi, H. E., Alzubi, J. A., Gao, J., Wang, G., Abbasi, A. A., & Castiglione, A. (2021). OBPP: An ontology-based framework for privacy-preserving in IoT-based smart city. *Future Generation Computer Systems*.

```

@article{GHEISARI20211,
  title = {OBPP: An ontology-based framework for privacy-preserving in IoT-based smart city},
  journal = {Future Generation Computer Systems},
  volume = {123},
  pages = {1-13},
  year = {2021},
  issn = {0167-739X},
  author = {Mehdi Gheisari and Hamid Esmaeili Najafabadi and Jafar A. Alzubi and Jiechao Gao and Guojun Wang and Aaqif Afzaal Abbasi and Aniello Castiglione},
}

```

[45] Hosseini Bamakan S M, Rahbar E, Gheisari M. Role of Wearable Technology in the Diagnosis and Prevention of COVID-19. *J Research Health*. 2021; 11 (4) :1-1

```

@ARTICLE{Hosseini Bamakan,
  author = {Hosseini Bamakan, Seyed Mojtaba and Rahbar, Ehsan and Gheisari, Mehdi and },
  title = {Role of Wearable Technology in the Diagnosis and Prevention of COVID-19},
  volume = {11},
  number = {4},
  eprint = {http://jrh.gmu.ac.ir/article-1-1961-en.docx},
  journal = {Journal of Research and Health},
  doi = {10.32598/JRH.11.4.1903.1},
  year = {2021}
}

```

[46] S. Afrasiabi, B. Behdani, M. Afrasiabi, M. Mohammadi, A. Asheralieva and M. Gheisari, "Differential Protection of Power Transformers based on RSLVQ-Gradient Approach Considering SFCL," *2021 IEEE Madrid PowerTech*, 2021, pp. 1-6, doi: 10.1109/PowerTech46648.2021.9494873.

```

@INPROCEEDINGS{9494873, author={Afrasiabi, Shahabodin and Behdani, Behzad and Afrasiabi, Mousa and Mohammadi, Mohammad and Asheralieva, Alia and Gheisari, Mehdi}, booktitle={2021 IEEE Madrid PowerTech}, title={Differential Protection of Power Transformers based on RSLVQ-Gradient Approach Considering SFCL}, year={2021}, volume={}, number={}, pages={1-6}, doi={10.1109/PowerTech46648.2021.9494873}}

```

[47] B. Behdani, M. Allahbakhshi, A. Asheralieva and M. Gheisari, "Analytical Method for Ferroresonance Solutions in Series Compensated Power Systems due to GICs: A Graphical Approach," *2021 IEEE Madrid PowerTech*, 2021, pp. 1-6, doi: 10.1109/PowerTech46648.2021.9494921.

```

@INPROCEEDINGS{9494921, author={Behdani, Behzad and Allahbakhshi, Mehdi and Asheralieva, Alia and Gheisari, Mehdi}, booktitle={2021 IEEE Madrid PowerTech}, title={Analytical Method for Ferroresonance Solutions in Series Compensated Power Systems due to GICs: A Graphical Approach}, year={2021}, volume={}, number={}, pages={1-6}, doi={10.1109/PowerTech46648.2021.9494921}}

```

[48] Natarajan, Y., et al.: An IoT and machine learning-based routing protocol for reconfigurable engineering application. *IET Commun.* 00, 1– 12 (2021). <https://doi.org/10.1049/cmu2.12266>

```

@Article{Natarajan2021,
  author = {Yuvaraj Natarajan and Kannan Srihari and Gaurav Dhiman and Selvaraj Chandragandhi and Mehdi Gheisari and Yang Liu and Cheng-Chi Lee and Krishna Kant Singh and Kusum Yadav and Hadeel Fahad Alharbi},
  journal = {{IET} Communications},

```

```

    title      = {An {IoT} and machine learning-based routing protocol for
reconfigurable engineering application},
    year       = {2021},
    month      = {aug},
    doi        = {10.1049/cmu2.12266},
    publisher  = {Institution of Engineering and Technology ({IET})},
}

```

[49] Mangla, Monika, et al. "A Proposed Framework for Autonomic Resource Management in Cloud Computing Environment." *Autonomic Computing in Cloud Resource Management in Industry 4.0*. Springer, Cham, 2021. 177-193.

```

@incollection{mangla2021proposed,
  title={A Proposed Framework for Autonomic Resource Management in Cloud
Computing Environment},
  author={Mangla, Monika and Deokar, Sanjivani and Akhare, Rakhi and Gheisari,
Mehdi},
  booktitle={Autonomic Computing in Cloud Resource Management in Industry 4.0},
  pages={177--193},
  year={2021},
  publisher={Springer}
}

```

[50] Li, Lintao, et al. "Research on TCP Performance Model and Transport Agent Architecture in Broadband Wireless Network." *Scalable Computing: Practice and Experience 22.2* (2021): 193-201.

```

@article{li2021research,
  title={Research on TCP Performance Model and Transport Agent Architecture in
Broadband Wireless Network},
  author={Li, Lintao and Sharma, Parv and Gheisari, Mehdi and Sharma, Amit},
  journal={Scalable Computing: Practice and Experience},
  volume={22},
  number={2},
  pages={193--201},
  year={2021}
}

```

[51] S. Afrasiabi, B. Behdani, M. Afrasiabi, M. Mohammadi, Y. Liu and M. Gheisari, "A Comparative Analysis of Artificial Intelligence for Power Transformer Differential Protection," *2021 IEEE International Conference on Environment and Electrical Engineering and 2021 IEEE Industrial and Commercial Power Systems Europe (EEEIC / I&CPS Europe)*, 2021, pp. 1-6, doi: 10.1109/EEEIC/ICPSEurope51590.2021.9611033.

```

@INPROCEEDINGS{9611033,
  author={Afrasiabi, Shahabodin and Behdani, Behzad and Afrasiabi, Mousa and Mohammadi, Mohammad
and Liu, Yang and Gheisari, Mehdi},
  booktitle={2021 IEEE International Conference on Environment and Electrical Engineering and 2021 IEEE
Industrial and Commercial Power Systems Europe (EEEIC / I CPS Europe)},
  title={A Comparative Analysis of Artificial Intelligence for Power Transformer Differential Protection},
  year={2021},
  volume={},
  number={},
  pages={1-6},
  doi={10.1109/EEEIC/ICPSEurope51590.2021.9611033}}

```

[52] M. Pazhoohesh, M. S. Javadi, M. Gheisari, S. Aziz and R. Villa, "Dealing with Missing Data in the Smart Buildings using Innovative Imputation Techniques," *IECON 2021 – 47th Annual Conference of the IEEE Industrial Electronics Society*, 2021, pp. 1-7, doi: 10.1109/IECON48115.2021.9612650.

```

@INPROCEEDINGS{9612650,

```

author={Pazhoohesh, Mehdi and Javadi, Mohammad Sadegh and Gheisari, Mehdi and Aziz, Saddam and Villa, Raffaella},  
 booktitle={IECON 2021 – 47th Annual Conference of the IEEE Industrial Electronics Society},  
 title={Dealing with Missing Data in the Smart Buildings using Innovative Imputation Techniques},  
 year={2021},  
 volume={},  
 number={},  
 pages={1-7},  
 doi={10.1109/IECON48115.2021.9612650}}

[53] K. A. Raza, A. Asheralieva, M. M. Karim, K. Sharif, M. Gheisari and S. Khan, "A Novel Forwarding and Caching Scheme for Information-Centric Software-Defined Networks," *2021 International Symposium on Networks, Computers and Communications (ISNCC)*, 2021, pp. 1-8, doi: 10.1109/ISNCC52172.2021.9615667.

@INPROCEEDINGS{9615667, author={Raza, Khuhawar Arif and Asheralieva, Alia and Karim, Md Monjurul and Sharif, Kashif and Gheisari, Mehdi and Khan, Salabat}, booktitle={2021 International Symposium on Networks, Computers and Communications (ISNCC)}, title={A Novel Forwarding and Caching Scheme for Information-Centric Software-Defined Networks}, year={2021}, volume={}, number={}, pages={1-8}, doi={10.1109/ISNCC52172.2021.9615667}}

[54] Yogesh Kumar, Apeksha Koul, Pushpendra Singh Sisodia, Jana Shafi, Verma Kavita, Mehdi Gheisari, Mohamad Bagher Davoodi, "Heart Failure Detection Using Quantum-Enhanced Machine Learning and Traditional Machine Learning Techniques for Internet of Artificially Intelligent Medical Things", *Wireless Communications and Mobile Computing*, vol. 2021, Article ID 1616725, 16 pages, 2021.

@Article{Kumar2021,  
 author = {Yogesh Kumar and Apeksha Koul and Pushpendra Singh Sisodia and Jana Shafi and Verma Kavita and Mehdi Gheisari and Mohamad Bagher Davoodi},  
 journal = {Wireless Communications and Mobile Computing},  
 title = {Heart Failure Detection Using Quantum-Enhanced Machine Learning and Traditional Machine Learning Techniques for Internet of Artificially Intelligent Medical Things},  
 year = {2021},  
 month = {dec},  
 pages = {1--16},  
 volume = {2021},  
 doi = {10.1155/2021/1616725},  
 editor = {Mohammad R Khosravi},  
 publisher = {Hindawi Limited},  
 }

[55]  
 @book{gupta2021cancer,  
 title={Chapter 7th, Cancer Prediction for Industrial IoT 4.0: A Machine Learning Perspective},  
 author={Ashish Kumar, Revant Singh Rai, Mehdi Gheisari},  
 isbn={9781000508581},  
 series={Prediction of cervical cancer using machine learning},  
 url={https://books.google.co.in/books?id=vDxOEAAAQBAJ},  
 year={2021},  
 publisher={CRC Press}  
 }

[56] Gheisari, Mehdi, et al. "A novel enhanced algorithm for efficient human tracking." *Int J Inf & Commun Technol* 11.1 (2022): 1-7.  
 @article{gheisari2022novel,  
 title={A novel enhanced algorithm for efficient human tracking},

```

author={Gheisari, Mehdi and Safari, Zohreh and Almasi, Mohammad and Sridharan,
Abel and GK, Ragesh and Liu, Yang and Abbasi, Aaqif Afzaal},
journal={Int J Inf \& Commun Technol},
volume={11},
number={1},
pages={1--7},
year={2022}
}

```

[57] Abdullah Ajmal, Hamza Aldabbas, Rashid Amin, Sundas Ibrar, Bader Alouffi, Mehdi Gheisari, "Stress-Relieving Video Game and Its Effects: A POMS Case Study", *Computational Intelligence and Neuroscience*, vol. 2022, Article ID 4239536, 11 pages, 2022. <https://doi.org/10.1155/2022/4239536>

[58] Yongsheng Rao, Saeed Kosari, Mehdi Gheisari, "New Results in Vague Incidence Graphs with Application", *Journal of Function Spaces*, vol. 2022, Article ID 3475536, 7 pages, 2022. <https://doi.org/10.1155/2022/3475536>

```

@article{rao2022new,
title={New Results in Vague Incidence Graphs with Application},
author={Rao, Yongsheng and Kosari, Saeed and Gheisari, Mehdi},
journal={Journal of Function Spaces},
volume={2022},
year={2022},
publisher={Hindawi}
}

```

[59] J. A. Alzubi *et al.*, "A Dynamic SDN-based Privacy-Preserving Approach for Smart City Using Trust Technique," *2022 9th Iranian Joint Congress on Fuzzy and Intelligent Systems (CFIS)*, 2022, pp. 1-5, doi: 10.1109/CFIS54774.2022.9756458.

```

@INPROCEEDINGS{9756458,
author={Alzubi, Jafar A. and Movassagh, AliAkbar and Gheisari, Mehdi and Najafabadi, Hamid Esmaeili and Abbasi, Aaqif Afzaal and Liu, Yang and Pingmei, Zhou and Izadpanahkakhk, Mahdieh and Najafabadi, AmirHossein Pourishaban},
booktitle={2022 9th Iranian Joint Congress on Fuzzy and Intelligent Systems (CFIS)},
title={A Dynamic SDN-based Privacy-Preserving Approach for Smart City Using Trust Technique},
year={2022},
volume={},
number={},
pages={1-5},
doi={10.1109/CFIS54774.2022.9756458}}

```

[60] Yongsheng Rao, Saeed Kosari, Mehdi Gheisari, "New Results in Vague Incidence Graphs with Application", *Journal of Function Spaces*, vol. 2022, Article ID 3475536, 7 pages, 2022. <https://doi.org/10.1155/2022/3475536>

[61] Moshayedi, Ata Jahangir *et al.* "Automation Attendance Systems Approaches: A Practical Review." *BOHR International Journal of Internet of Things Research* (2021): n. pag.

```

@article{Moshayedi2021AutomationAS,
title={Automation Attendance Systems Approaches: A Practical Review},
author={Ata Jahangir Moshayedi and Atanu Roy and Liefia Liao and Mehdi Gheisari and Aaqif Afzaal Abbasi and Seyed Mojtaba Hosseini Bamakan},
journal={BOHR International Journal of Internet of Things Research},
year={2021}
}

```